

Micro-V AT® Belts Listed by Number

Showing Belt Numbers with Corresponding
Nominal Outside Lengths, Top Widths and Angles

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
2PJ800	31 7/8	810	3/16	4.7	40°	K040338	34 3/8	874	9/16	14	40°
2PJ836	33 1/4	846	3/16	4.7	40°	K040340	34 5/8	881	9/16	14	40°
2PJ845	33 5/8	855	3/16	4.7	40°	K040343	34 7/8	885	9/16	14	40°
2PJ860	34 1/4	870	3/16	4.7	40°	K040345	35	889	9/16	14	40°
2PJ905	36	915	3/16	4.7	40°	K040346	35 1/4	894	9/16	14	40°
DK050565	* 57 3/4	1468	21/32	17	40°	K040347	35 3/8	897	9/16	14	40°
DK050610	* 62 1/8	1579	21/32	17	40°	K040350	35 5/8	906	9/16	14	40°
DK060472	* 48 1/2	1232	13/16	20	40°	K040353	35 7/8	912	9/16	14	40°
DK060519	* 53	1348	13/16	20	40°	K040355	36 1/8	918	9/16	14	40°
DK060674	* 68 1/2	1741	13/16	20	40°	K040358	36 3/8	924	9/16	14	40°
DK060702	* 71 1/4	1811	13/16	20	40°	K040360	36 3/4	932	9/16	14	40°
DK060718	* 73	1853	13/16	20	40°	K040365	37 1/8	943	9/16	14	40°
DK060725	* 73 3/4	1872	13/16	20	40°	K040370	37 1/2	954	9/16	14	40°
DK060729	* 74 1/4	1885	13/16	20	40°	K040372	38	964	9/16	14	40°
DK060791	* 80 3/8	2043	13/16	20	40°	K040378	38 1/2	977	9/16	14	40°
DK060956	* 95 3/4	2432	13/16	20	40°	K040382	38 3/4	983	9/16	14	40°
DK060973	* 98 5/8	2504	13/16	20	40°	K040384	39	990	9/16	14	40°
DK070536	* 54 7/8	1394	15/16	24	40°	K040385	39 1/8	993	9/16	14	40°
DK070551	* 56 3/8	1432	15/16	24	40°	K040388	39 3/8	999	9/16	14	40°
DK070817	* 82 7/8	2105	15/16	24	40°	K040390	39 3/4	1008	9/16	14	40°
DK080534	* 54	1370	1 3/32	28	40°	K040395	40 1/4	1020	9/16	14	40°
J060293	29 3/4	755	9/16	14	40°	K040398	40 3/8	1027	9/16	14	40°
J060328	33 1/2	850	9/16	14	40°	K040399	40 5/8	1030	9/16	14	40°
K030195	20	509	13/32	11	40°	K040400	40 3/4	1035	9/16	14	40°
K030220	22 5/8	576	13/32	11	40°	K040405	41 1/4	1050	9/16	14	40°
K030236	24 1/4	615	13/32	11	40°	K040410	41 5/8	1060	9/16	14	40°
K030240	24 3/4	629	13/32	11	40°	K040413	42 1/8	1068	9/16	14	40°
K030243	24 7/8	632	13/32	11	40°	K040415	42	1068	9/16	14	40°
K030245	25 1/4	640	13/32	11	40°	K040418	42 3/8	1075	9/16	14	40°
K030250	25 3/4	654	13/32	11	40°	K040420	42 5/8	1085	9/16	14	40°
K030265	27 1/8	689	13/32	11	40°	K040425	43 1/8	1095	9/16	14	40°
K030267	27 3/8	695	13/32	11	40°	K040430	43 3/4	1110	9/16	14	40°
K030280	28 3/4	730	13/32	11	40°	K040438	44 3/8	1125	9/16	14	40°
K030290	29 3/4	755	13/32	11	40°	K040440	44 3/4	1135	9/16	14	40°
K030295	30 1/8	765	13/32	11	40°	K040445	45 1/4	1150	9/16	14	40°
K030299	30 1/2	775	13/32	11	40°	K040450	45 3/4	1160	9/16	14	40°
K030300	30 3/4	781	13/32	11	40°	K040457	46 1/4	1175	9/16	11	40°
K030310	31 5/8	805	13/32	11	40°	K040460	46 5/8	1185	9/16	14	40°
K030323	32 7/8	836	13/32	11	40°	K040465	47	1195	9/16	14	40°
K030328	33 1/2	850	13/32	11	40°	K040470	47 3/4	1215	9/16	14	40°
K030334	34	864	13/32	11	40°	K040476	48 1/8	1223	9/16	14	40°
K030338	34 3/8	874	13/32	11	40°	K040488	49 3/8	1254	9/16	14	40°
K030340	34 5/8	881	13/32	11	40°	K040490	49 1/2	1255	9/16	14	40°
K030350	35 5/8	906	13/32	11	40°	K040500	50 5/8	1285	9/16	14	40°
K030365	37 1/8	943	13/32	11	40°	K040506	51 1/8	1300	9/16	14	40°
K030384	39 1/8	993	13/32	11	40°	K040510	51 1/2	1310	9/16	14	40°
K030390	39 3/4	1008	13/32	11	40°	K040512	51 3/4	1315	9/16	14	40°
K030395	40 1/4	1021	13/32	11	40°	K040514	52	1320	9/16	14	40°
K030415	42 1/8	1068	13/32	11	40°	K040517	52 1/8	1325	9/16	14	40°
K030425	43 1/8	1095	13/32	11	40°	K040520	52 5/8	1335	9/16	14	40°
K030441	44 3/4	1135	13/32	11	40°	K040525	53 1/8	1349	9/16	14	40°
K030455	46	1170	13/32	11	40°	K040529	53 1/2	1359	9/16	14	40°
K030471	47 3/4	1212	13/32	11	40°	K040535	54	1370	9/16	14	40°
K040220	22 5/8	575	9/16	14	40°	K040545	55	1395	9/16	14	40°
K040233	24 1/2	622	9/16	14	40°	K040551	55 5/8	1414	9/16	14	40°
K040245	25 1/4	640	9/16	14	40°	K040560	56 1/2	1435	9/16	14	40°
K040250	25 3/4	654	9/16	14	40°	K040575	58 1/8	1475	9/16	14	40°
K040270	27 3/4	704	9/16	14	40°	K040595	60	1525	9/16	14	40°
K040274	28	710	9/16	14	40°	K040620	62 5/8	1591	9/16	14	40°
K040275	28 1/4	717	9/16	14	40°	K040630	63 5/8	1615	9/16	14	40°
K040285	29 1/4	742	9/16	14	40°	K040635	64	1627	9/16	14	40°
K040292	29 3/4	755	9/16	14	40°	K040685	69 1/8	1755	9/16	14	40°
K040300	30 3/4	781	9/16	14	40°	K040745	75 1/8	1905	9/16	14	40°
K040305	31 1/4	793	9/16	14	40°	K040762	76 7/8	1952	9/16	14	40°
K040310	31 3/4	805	9/16	14	40°	K040882	88 3/4	2255	9/16	14	40°
K040315	32 1/4	818	9/16	14	40°	K040940	94 5/8	2405	9/16	14	40°
K040319	32 1/2	824	9/16	14	40°	K050200	20 3/4	527	21/32	17	40°
K040320	32 3/4	831	9/16	14	40°	K050275	28 1/4	717	21/32	17	40°
K040322	32 7/8	836	9/16	14	40°	K050280	28 3/4	730	21/32	17	40°
K040325	33 1/4	844	9/16	14	40°	K050290	29 3/4	755	21/32	17	40°
K040329	33 3/8	849	9/16	14	40°	K050316	32 1/4	818	21/32	17	40°
K040330	33 3/4	856	9/16	14	40°	K050317	32 1/2	824	21/32	17	40°
K040332	33 3/4	858	9/16	14	40°	K050321	32 3/4	831	21/32	17	40°
K040335	34	864	9/16	14	40°	K050323	33	837	21/32	17	40°
K040336	34 1/8	867	9/16	14	40°	K050326	33 1/4	843	21/32	17	40°
K040337	34 1/4	871	9/16	14	40°	K050330	33 3/4	856	21/32	17	40°

Micro-V AT[®] Belts Listed by Number

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
K050335	34	864	21/32	17	40°	K060305	31 1/4	793	13/16	20	40°
K050336	34 3/8	872	21/32	17	40°	K060325	33 1/4	844	13/16	20	40°
K050340	34 5/8	881	21/32	17	40°	K060331	33 3/4	856	13/16	20	40°
K050344	35	889	21/32	17	40°	K060338	34 3/8	873	13/16	20	40°
K050345	35 1/4	894	21/32	17	40°	K060340	34 3/4	881	13/16	20	40°
K050350	35 5/8	906	21/32	17	40°	K060345	35 1/4	894	13/16	20	40°
K050355	36 1/8	918	21/32	17	40°	K060355	36 1/8	918	13/16	20	40°
K050360	36 3/4	932	21/32	17	40°	K060365	37 1/8	943	13/16	20	40°
K050364	37	939	21/32	17	40°	K060370	37 3/4	957	13/16	20	40°
K050365	37 1/8	943	21/32	17	40°	K060374	38	964	13/16	20	40°
K050368	37 3/8	949	21/32	17	40°	K060380	38 3/4	983	13/16	20	40°
K050370	37 3/4	957	21/32	17	40°	K060385	39 1/8	993	13/16	20	40°
K050375	38 1/4	970	21/32	17	40°	K060388	39 3/8	999	13/16	20	40°
K050380	38 3/4	983	21/32	17	40°	K060390	39 3/4	1008	13/16	20	40°
K050385	39 1/4	996	21/32	17	40°	K060393	39 7/8	1012	13/16	20	40°
K050390	39 3/4	1008	21/32	17	40°	K060400	40 3/4	1034	13/16	20	40°
K050396	40 1/4	1021	21/32	17	40°	K060405	41	1043	13/16	20	40°
K050398	40 3/8	1027	21/32	17	40°	K060406	41 1/4	1050	13/16	20	40°
K050400	40 5/8	1031	21/32	17	40°	K060407	41 3/8	1052	13/16	20	40°
K050402	40 3/4	1035	21/32	17	40°	K060408	41 1/2	1054	13/16	20	40°
K050405	41 1/4	1047	21/32	17	40°	K060409	41 5/8	1056	13/16	20	40°
K050407	41 3/8	1050	21/32	17	40°	K060410	41 3/4	1059	13/16	20	40°
K050410	41 3/4	1059	21/32	17	40°	K060415	42 1/8	1069	13/16	20	40°
K050415	42 1/8	1068	21/32	17	40°	K060418	42 3/8	1076	13/16	20	40°
K050418	42 3/8	1076	21/32	17	40°	K060420	42 1/2	1081	13/16	20	40°
K050420	42 5/8	1084	21/32	17	40°	K060423	42 7/8	1089	13/16	20	40°
K050425	43 1/8	1095	21/32	17	40°	K060425	43 1/8	1095	13/16	20	40°
K050429	43 1/2	1103	21/32	17	40°	K060426	43 1/8	1096	13/16	20	40°
K050433	43 3/4	1113	21/32	17	40°	K060427	43 1/2	1103	13/16	20	40°
K050435	44 1/8	1122	21/32	17	40°	K060431	43 3/4	1111	13/16	20	40°
K050438	44 1/2	1129	21/32	17	40°	K060434	43 7/8	1116	13/16	20	40°
K050440	44 3/4	1135	21/32	17	40°	K060435	44 1/8	1122	13/16	20	40°
K050446	45 1/8	1148	21/32	17	40°	K060439	44 1/2	1129	13/16	20	40°
K050448	45 3/8	1152	21/32	17	40°	K060441	44 3/4	1135	13/16	20	40°
K050450	45 5/8	1160	21/32	17	40°	K060445	45 1/8	1148	13/16	20	40°
K050455	46	1170	21/32	17	40°	K060448	45 3/8	1153	13/16	20	40°
K050459	46 3/8	1179	21/32	17	40°	K060450	45 5/8	1160	13/16	20	40°
K050460	46 5/8	1186	21/32	17	40°	K060455	46	1170	13/16	20	40°
K050470	47 5/8	1211	21/32	17	40°	K060458	46 3/8	1179	13/16	20	40°
K050474	47 7/8	1218	21/32	17	40°	K060461	46 5/8	1186	13/16	20	40°
K050478	48 3/8	1228	21/32	17	40°	K060465	47	1195	13/16	20	40°
K050480	48 5/8	1237	21/32	17	40°	K060468	47 3/8	1204	13/16	20	40°
K050486	49 1/8	1249	21/32	17	40°	K060470	47 5/8	1211	13/16	20	40°
K050490	49 1/2	1258	21/32	17	40°	K060473	47 7/8	1216	13/16	20	40°
K050500	50 5/8	1286	21/32	17	40°	K060474	47 7/8	1217	13/16	20	40°
K050505	51	1297	21/32	17	40°	K060478	48 1/4	1227	13/16	20	40°
K050507	51 1/8	1300	21/32	17	40°	K060480	48 5/8	1237	13/16	20	40°
K050510	51 3/4	1315	21/32	17	40°	K060483	48 7/8	1241	13/16	20	40°
K050516	52 1/4	1327	21/32	17	40°	K060486	49 1/8	1248	13/16	20	40°
K050520	52 5/8	1338	21/32	17	40°	K060490	49 1/2	1258	13/16	20	40°
K050523	52 7/8	1343	21/32	17	40°	K060492	49 3/4	1265	13/16	20	40°
K050530	53 1/2	1359	21/32	17	40°	K060494	50	1270	13/16	20	40°
K050532	53 7/8	1367	21/32	17	40°	K060495	50 1/8	1274	13/16	20	40°
K050538	54 3/8	1380	21/32	17	40°	K060500	50 3/4	1288	13/16	20	40°
K050545	55 1/4	1404	21/32	17	40°	K060505	51	1297	13/16	20	40°
K050551	55 3/4	1415	21/32	17	40°	K060507	51 1/8	1300	13/16	20	40°
K050565	57	1448	21/32	17	40°	K060509	51 1/2	1309	13/16	20	40°
K050570	57 1/2	1462	21/32	17	40°	K060512	51 3/4	1315	13/16	20	40°
K050586	59 1/4	1504	21/32	17	40°	K060514	52	1321	13/16	20	40°
K050609	61 1/2	1563	21/32	17	40°	K060516	52 1/8	1325	13/16	20	40°
K050618	62 3/8	1584	21/32	17	40°	K060520	52 3/4	1339	13/16	20	40°
K050625	63 1/8	1603	21/32	17	40°	K060523	52 7/8	1342	13/16	20	40°
K050630	63 5/8	1616	21/32	17	40°	K060525	53 3/8	1355	13/16	20	40°
K050635	64 1/8	1627	21/32	17	40°	K060529	53 1/2	1359	13/16	20	40°
K050640	64 5/8	1642	21/32	17	40°	K060532	53 7/8	1367	13/16	20	40°
K050644	65	1651	21/32	17	40°	K060535	54 1/4	1379	13/16	20	40°
K050647	65 1/4	1657	21/32	17	40°	K060539	54 1/2	1385	13/16	20	40°
K050650	65 5/8	1667	21/32	17	40°	K060547	55 1/4	1404	13/16	20	40°
K050653	65 7/8	1675	21/32	17	40°	K060551	55 3/4	1415	13/16	20	40°
K050658	66 3/8	1687	21/32	17	40°	K060555	56	1423	13/16	20	40°
K050660	66 3/4	1696	21/32	17	40°	K060557	56 1/4	1429	13/16	20	40°
K050665	67 1/8	1704	21/32	17	40°	K060559	56 1/2	1436	13/16	20	40°
K050690	69 3/4	1772	21/32	17	40°	K060560	56 5/8	1439	13/16	20	40°
K050705	71 1/8	1807	21/32	17	40°	K060563	56 7/8	1445	13/16	20	40°
K050715	72 1/8	1831	21/32	17	40°	K060569	57 1/2	1462	13/16	20	40°
K050720	72 5/8	1845	21/32	17	40°	K060573	57 7/8	1471	13/16	20	40°
K050750	75 3/8	1914	21/32	17	40°	K060575	58	1473	13/16	20	40°
K050755	76	1932	21/32	17	40°	K060578	58 3/8	1483	13/16	20	40°
K050757	76 1/4	1937	21/32	17	40°	K060586	59 1/4	1504	13/16	20	40°
K050778	78 3/8	1989	21/32	17	40°	K060588	59 3/8	1508	13/16	20	40°
K050817	82 1/2	2096	21/32	17	40°	K060594	60	1523	13/16	20	40°
K050825	83 1/8	2112	21/32	17	40°	K060598	60 3/8	1534	13/16	20	40°
K050835	84	2134	21/32	17	40°	K060602	60 3/4	1542	13/16	20	40°
K050836	84 1/8	2138	21/32	17	40°	K060604	60 7/8	1547	13/16	20	40°
K050845	85 1/8	2164	21/32	17	40°	K060605	61 1/8	1553	13/16	20	40°
K050855	86 1/8	2187	21/32	17	40°	K060609	61 1/2	1563	13/16	20	40°
K050887	89 1/8	2265	21/32	17	40°	K060612	61 3/4	1569	13/16	20	40°
K060288	29 1/2	748	13/16	20	40°	K060615	62 1/8	1577	13/16	20	40°
K060295	30 1/8	765	13/16	20	40°	K060620	62 5/8	1591	13/16	20	40°

* Dual Sided Belt

Micro-V AT[®] Belts Listed by Number

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
K060623	62 7/8	1598	13/16	20	40°	K060908	91 1/4	2318	13/16	20	40°
K060625	63 1/8	1603	13/16	20	40°	K060910	91 5/8	2329	13/16	20	40°
K060630	63 5/8	1616	13/16	20	40°	K060915	92 1/8	2340	13/16	20	40°
K060635	64 1/8	1627	13/16	20	40°	K060919	92 3/8	2347	13/16	20	40°
K060637	64 3/8	1634	13/16	20	40°	K060923	92 7/8	2360	13/16	20	40°
K060640	64 5/8	1642	13/16	20	40°	K060926	93 1/8	2364	13/16	20	40°
K060642	64 3/4	1646	13/16	20	40°	K060930	93 5/8	2377	13/16	20	40°
K060645	65	1651	13/16	20	40°	K060935	94	2387	13/16	20	40°
K060650	65 1/2	1665	13/16	20	40°	K060938	94 1/2	2400	13/16	20	40°
K060651	65 3/4	1669	13/16	21	40°	K060942	94 3/4	2407	13/16	20	40°
K060653	65 7/8	1674	13/16	20	40°	K060945	95 1/8	2415	13/16	20	40°
K060658	66 3/8	1687	13/16	20	40°	K060947	95 1/4	2419	13/16	20	40°
K060660	66 3/4	1696	13/16	20	40°	K060950	95 5/8	2428	13/16	20	40°
K060663	66 7/8	1699	13/16	20	40°	K060956	96 1/8	2440	13/16	20	40°
K060667	67 1/4	1708	13/16	20	40°	K060960	96 5/8	2452	13/16	20	40°
K060670	67 1/2	1716	13/16	20	40°	K060962	96 7/8	2460	13/16	20	40°
K060672	67 3/4	1722	13/16	20	40°	K060966	97 1/8	2468	13/16	20	40°
K060675	68	1728	13/16	20	40°	K060970	97 5/8	2479	13/16	20	40°
K060680	68 5/8	1742	13/16	20	40°	K060975	98 1/8	2492	13/16	20	40°
K060682	68 7/8	1750	13/16	20	40°	K060980	98 5/8	2505	13/16	20	40°
K060685	69 1/8	1756	13/16	20	40°	K060984	99	2513	13/16	20	40°
K060690	69 5/8	1767	13/16	20	40°	K060988	99 1/2	2526	13/16	20	40°
K060695	70	1777	13/16	20	40°	K060990	99 5/8	2531	13/16	20	40°
K060696	70 1/4	1783	13/16	20	40°	K060994	99 7/8	2537	13/16	20	40°
K060703	70 7/8	1799	13/16	20	40°	K060995	100	2539	13/16	20	40°
K060705	71 1/8	1807	13/16	20	40°	K060997	100 1/4	2546	13/16	20	40°
K060710	71 1/2	1816	13/16	20	40°	K061000	100 5/8	2555	13/16	20	40°
K060711	71 5/8	1820	13/16	20	40°	K061005	101 1/8	2568	13/16	20	40°
K060716	72	1830	13/16	20	40°	K061010	101 5/8	2581	13/16	20	40°
K060721	72 5/8	1845	13/16	20	40°	K061015	102 1/8	2593	13/16	20	40°
K060722	72 3/4	1848	13/16	20	40°	K061016	102 1/4	2596	13/16	20	40°
K060725	73 1/4	1859	13/16	20	40°	K061020	102 5/8	2605	13/16	20	40°
K060730	73 1/2	1867	13/16	20	40°	K061025	103	2615	13/16	20	40°
K060733	73 7/8	1876	13/16	20	40°	K061031	103 5/8	2633	13/16	20	40°
K060735	74 1/8	1881	13/16	20	40°	K061033	103 7/8	2639	13/16	20	40°
K060739	74 1/2	1893	13/16	20	40°	K061037	104 1/4	2649	13/16	20	40°
K060744	75	1904	13/16	20	40°	K061045	105	2666	13/16	20	40°
K060747	75 3/8	1914	13/16	20	40°	K061049	105 1/2	2680	13/16	20	40°
K060750	75 5/8	1921	13/16	20	40°	K061054	106	2692	13/16	20	40°
K060755	76	1932	13/16	20	40°	K061058	106 3/8	2701	13/16	20	40°
K060760	76 1/2	1942	13/16	20	40°	K061066	107 1/8	2722	13/16	20	40°
K060763	76 7/8	1951	13/16	20	40°	K061073	107 7/8	2741	13/16	20	40°
K060764	77	1957	13/16	20	40°	K061075	108 1/8	2746	13/16	20	40°
K060770	77 3/8	1967	13/16	20	40°	K061080	108 3/4	2761	13/16	20	40°
K060772	77 7/8	1977	13/16	20	40°	K061093	109 3/4	2788	13/16	20	40°
K060775	78	1982	13/16	20	40°	K061098	109 3/8	2780	13/16	20	40°
K060780	78 5/8	1996	13/16	20	40°	K061099	110 1/2	2807	13/16	20	40°
K060785	79	2007	13/16	20	40°	K061105	111 1/8	2824	13/16	20	40°
K060790	79 1/2	2018	13/16	20	40°	K061110	111 5/8	2835	13/16	20	40°
K060795	80 1/8	2034	13/16	20	40°	K061115	111 7/8	2841	13/16	20	40°
K060798	80 3/8	2040	13/16	20	40°	K061120	112 1/2	2859	13/16	20	40°
K060802	80 3/4	2051	13/16	20	40°	K061123	112 7/8	2869	13/16	20	40°
K060804	81	2057	13/16	20	40°	K061130	113 5/8	2886	13/16	20	40°
K060806	81 1/8	2061	13/16	20	40°	K061140	114 1/2	2910	13/16	20	40°
K060810	81 5/8	2073	13/16	20	40°	K061141	114 5/8	2911	13/16	20	40°
K060815	82 1/8	2085	13/16	20	40°	K061145	115 1/4	2927	13/16	20	40°
K060819	82 1/2	2093	13/16	20	40°	K061177	118 1/4	3005	13/16	20	40°
K060820	82 1/2	2096	13/16	20	40°	K061187	119 1/4	3030	13/16	20	40°
K060825	83 1/8	2112	13/16	20	40°	K061195	120 1/8	3051	13/16	20	40°
K060827	83 1/4	2116	13/16	20	40°	K061203	120 7/8	3069	13/16	20	40°
K060828	83 3/8	2119	13/16	20	40°	K061247	125 1/4	3183	13/16	20	40°
K060832	83 3/4	2127	13/16	20	40°	K061251	125 5/8	3192	13/16	20	40°
K060837	84 1/4	2140	13/16	20	40°	K061360	136 1/2	3467	13/16	20	40°
K060840	84 1/2	2147	13/16	20	40°	K061369	137 1/2	3492	13/16	20	40°
K060841	84 5/8	2149	13/16	20	40°	K061380	138 5/8	3519	13/16	20	40°
K060842	84 3/4	2153	13/16	20	40°	K070319	32 1/2	824	15/16	24	40°
K060845	85 1/4	2165	13/16	20	40°	K070362	36 7/8	936	15/16	24	40°
K060849	85 1/2	2171	13/16	20	40°	K070370	37 3/4	957	15/16	24	40°
K060854	85 7/8	2182	13/16	20	40°	K070390	39 3/4	1008	15/16	24	40°
K060858	86 3/8	2193	13/16	20	40°	K070415	42	1068	15/16	24	40°
K060860	86 5/8	2201	13/16	20	40°	K070425	43 1/8	1095	15/16	24	40°
K060863	86 7/8	2206	13/16	20	40°	K070448	45 3/8	1153	15/16	24	40°
K060864	86 7/8	2208	13/16	20	40°	K070491EMD	49 5/8	1261	15/16	24	40°
K060866	87 1/4	2216	13/16	20	40°	K070505	51 1/8	1300	15/16	24	40°
K060868	87 3/8	2219	13/16	20	40°	K070539	54 1/2	1385	15/16	24	40°
K060870	87 5/8	2225	13/16	20	40°	K070553	55 7/8	1418	15/16	24	40°
K060874	87 7/8	2233	13/16	20	40°	K070610	61 5/8	1564	15/16	24	40°
K060875	88 1/8	2238	13/16	20	40°	K070622	62 3/4	1594	15/16	24	40°
K060876	88 1/8	2239	13/16	20	40°	K070628	63 3/8	1609	15/16	24	40°
K060878	88 3/8	2245	13/16	20	40°	K070630	63 5/8	1616	15/16	24	40°
K060882	88 7/8	2257	13/16	20	40°	K070640	64 5/8	1642	15/16	24	40°
K060883	89	2261	13/16	20	40°	K070644	65	1651	15/16	24	40°
K060885	89 1/8	2263	13/16	20	40°	K070649	66 1/2	1688	15/16	24	40°
K060886	89 1/8	2265	13/16	20	40°	K070653	65 7/8	1675	15/16	24	40°
K060888	89 1/2	2273	13/16	20	40°	K070655	66	1678	15/16	24	40°
K060891	89 3/4	2278	13/16	20	40°	K070669	67 1/2	1714	15/16	24	40°
K060895	90 1/8	2289	13/16	20	40°	K070673	67 3/4	1722	15/16	24	40°
K060900	90 5/8	2301	13/16	20	40°	K070677	68 1/4	1734	15/16	24	40°
K060905	90 7/8	2308	13/16	20	40°	K070680	68 5/8	1743	15/16	24	40°

* Dual Sided Belt

Micro-V AT® Belts Listed by Number

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
K070683	68 7/8	1750	15/16	24	40°	K080550	55 3/4	1415	1 3/32	28	40°
K070685	69 1/8	1756	15/16	24	40°	K080558	56 1/4	1429	1 3/32	28	40°
K070690	69 1/2	1767	15/16	24	40°	K080560	56 5/8	1439	1 3/32	28	40°
K070694	70	1779	15/16	24	40°	K080565	57	1448	1 3/32	28	40°
K070701	70 3/4	1796	15/16	24	40°	K080566	57 1/8	1452	1 3/32	28	40°
K070705	71 1/8	1807	15/16	24	40°	K080570	57 1/2	1462	1 3/32	28	40°
K070709	71 1/2	1816	15/16	24	40°	K080575	58 1/8	1475	1 3/32	28	40°
K070721	72 3/4	1847	15/16	24	40°	K080580	58 5/8	1490	1 3/32	28	40°
K070733	73 3/4	1874	15/16	24	40°	K080585	59	1499	1 3/32	28	40°
K070735	74 1/8	1883	15/16	24	40°	K080590	59 1/2	1512	1 3/32	28	40°
K070750	75 5/8	1920	15/16	24	40°	K080594	60	1523	1 3/32	28	40°
K070755	76 1/8	1933	15/16	24	40°	K080600	60 5/8	1538	1 3/32	28	40°
K070763	76 7/8	1951	15/16	24	40°	K080605	61 1/8	1553	1 3/32	28	40°
K070776	78	1982	15/16	24	40°	K080610	61 3/4	1569	1 3/32	28	40°
K070786	79 1/8	2011	15/16	24	40°	K080615	62 1/8	1577	1 3/32	28	40°
K070795	80	2033	15/16	24	40°	K080620	62 5/8	1591	1 3/32	28	40°
K070810	81 5/8	2073	15/16	24	40°	K080623	62 7/8	1598	1 3/32	28	40°
K070822	82 3/4	2102	15/16	24	40°	K080626	63 1/8	1603	1 3/32	28	40°
K070825	83 1/8	2112	15/16	24	40°	K080630	63 5/8	1616	1 3/32	28	40°
K070834	84	2133	15/16	24	40°	K080635	64 1/4	1633	1 3/32	28	40°
K070835	84	2134	15/16	24	40°	K080644	65	1651	1 3/32	28	40°
K070846	85 1/4	2164	15/16	24	40°	K080645	65 1/4	1657	1 3/32	28	40°
K070852	85 3/4	2178	15/16	24	40°	K080649	65 1/2	1665	1 3/32	28	40°
K070855	86 1/8	2187	15/16	24	40°	K080653	65 7/8	1674	1 3/32	28	40°
K070873	87 7/8	2232	15/16	24	40°	K080655	66 1/4	1683	1 3/32	28	40°
K070880	88 1/2	2249	15/16	24	40°	K080660	66 1/2	1691	1 3/32	28	40°
K070882	88 3/4	2255	15/16	24	40°	K080670	67 1/2	1716	1 3/32	28	40°
K070885	89 1/8	2263	15/16	24	40°	K080672	67 3/4	1722	1 3/32	28	40°
K070886	89 1/8	2265	15/16	24	40°	K080675	68	1728	1 3/32	28	40°
K070890	89 3/4	2278	15/16	24	40°	K080677	68 1/4	1734	1 3/32	28	40°
K070896	90 1/8	2289	15/16	24	40°	K080680	68 5/8	1742	1 3/32	28	40°
K070901	90 5/8	2301	15/16	24	40°	K080685	69 1/8	1756	1 3/32	28	40°
K070903	90 7/8	2308	15/16	24	40°	K080690	69 5/8	1767	1 3/32	28	40°
K070905	91 1/8	2314	15/16	24	40°	K080694	70	1777	1 3/32	28	40°
K070916	92 1/4	2343	15/16	24	40°	K080700	70 1/2	1789	1 3/32	28	40°
K070922	92 3/4	2357	15/16	24	40°	K080702	70 3/4	1798	1 3/32	28	40°
K070924	93	2362	15/16	24	40°	K080708	71 1/4	1811	1 3/32	28	40°
K070931	93 5/8	2378	15/16	24	40°	K080710	71 1/2	1816	1 3/32	28	40°
K070951	95 3/4	2431	15/16	24	40°	K080716	72 1/8	1831	1 3/32	28	40°
K070971	97 3/4	2481	15/16	24	40°	K080720	72 5/8	1845	1 3/32	28	40°
K070975	97 3/4	2484	15/16	24	40°	K080726	73 1/4	1859	1 3/32	28	40°
K070976	98 1/8	2492	15/16	24	40°	K080730	73 1/2	1867	1 3/32	28	40°
K071005	101 1/8	2568	15/16	24	40°	K080733	73 3/4	1874	1 3/32	28	40°
K071009	101 3/8	2576	15/16	24	40°	K080734	74	1880	1 3/32	28	40°
K071013	101 7/8	2586	15/16	24	40°	K080738	74 3/8	1889	1 3/32	28	40°
K071031	103 5/8	2633	15/16	24	40°	K080740	74 5/8	1896	1 3/32	28	40°
K071037	104 1/4	2649	15/16	24	40°	K080745	75 1/8	1907	1 3/32	28	40°
K071040	104 5/8	2656	15/16	24	40°	K080751	75 5/8	1921	1 3/32	28	40°
K071045	105 1/8	2671	15/16	24	40°	K080755	76	1931	1 3/32	28	40°
K071056	106 1/4	2699	15/16	24	40°	K080760	76 1/2	1942	1 3/32	28	40°
K071065	107 1/8	2720	15/16	24	40°	K080765	77	1957	1 3/32	28	40°
K071130	113 5/8	2886	15/16	24	40°	K080774	77 3/4	1976	1 3/32	28	40°
K071134	114	2897	15/16	24	40°	K080776	78 1/8	1985	1 3/32	28	40°
K071141	114 5/8	2912	15/16	24	40°	K080780	78 5/8	1996	1 3/32	28	40°
K071150	115 5/8	2936	15/16	24	40°	K080785	79	2007	1 3/32	28	40°
K071157	116 1/4	2953	15/16	24	40°	K080790	79 1/2	2019	1 3/32	28	40°
K071194	119 7/8	3046	15/16	24	40°	K080797	80 1/8	2037	1 3/32	28	40°
K071247	125 3/8	3183	15/16	24	40°	K080806	81 1/8	2061	1 3/32	28	40°
K080300	30 3/4	781	1 3/32	28	40°	K080810	81 5/8	2073	1 3/32	28	40°
K080330	33 3/4	856	1 3/32	28	40°	K080816	82 1/8	2086	1 3/32	28	40°
K080360	36 3/4	932	1 3/32	28	40°	K080817	82 3/8	2091	1 3/32	28	40°
K080365	37 1/8	943	1 3/32	28	40°	K080820	82 3/4	2101	1 3/32	28	40°
K080370	37 3/4	957	1 3/32	28	40°	K080825	83 1/8	2112	1 3/32	28	40°
K080375	38 1/8	968	1 3/32	28	40°	K080830	83 3/4	2127	1 3/32	28	40°
K080382	38 3/4	983	1 3/32	28	40°	K080839	84 3/8	2144	1 3/32	28	40°
K080384	39	990	1 3/32	28	40°	K080842	84 3/4	2154	1 3/32	28	40°
K080390	39 3/4	1008	1 3/32	28	40°	K080855	86 1/8	2187	1 3/32	28	40°
K080392	39 7/8	1014	1 3/32	28	40°	K080859	86 3/8	2195	1 3/32	28	40°
K080400	40 3/4	1034	1 3/32	28	40°	K080865	87 1/8	2212	1 3/32	28	40°
K080408	41 3/8	1051	1 3/32	28	40°	K080872	87 3/4	2230	1 3/32	28	40°
K080415	42 1/8	1069	1 3/32	28	40°	K080876	88 1/8	2240	1 3/32	28	40°
K080424	43	1091	1 3/32	28	40°	K080878	88 3/8	2245	1 3/32	28	40°
K080427	43 1/2	1103	1 3/32	28	40°	K080893	89 7/8	2282	1 3/32	28	40°
K080435	44 1/8	1122	1 3/32	28	40°	K080897	90 3/8	2295	1 3/32	28	40°
K080450	45 5/8	1160	1 3/32	28	40°	K080903	90 7/8	2308	1 3/32	28	40°
K080455	46	1170	1 3/32	28	40°	K080910	91 5/8	2326	1 3/32	28	40°
K080458	46 3/8	1179	1 3/32	28	40°	K080915	92 1/8	2340	1 3/32	28	40°
K080465	47	1195	1 3/32	28	40°	K080922	92 3/4	2355	1 3/32	28	40°
K080471	47 3/4	1211	1 3/32	28	40°	K080926	93 1/8	2367	1 3/32	28	40°
K080485	49 1/8	1249	1 3/32	28	40°	K080934	93 7/8	2384	1 3/32	28	40°
K080491	49 5/8	1260	1 3/32	28	40°	K080939	94 1/2	2400	1 3/32	28	40°
K080496	50 1/8	1274	1 3/32	28	40°	K080944	95	2412	1 3/32	28	40°
K080505	51	1297	1 3/32	28	40°	K080948	95 3/8	2424	1 3/32	28	40°
K080510	51 1/2	1309	1 3/32	28	40°	K080952	95 3/4	2432	1 3/32	28	40°
K080514	52	1320	1 3/32	28	40°	K080956	96 1/4	2444	1 3/32	28	40°
K080525	53 1/8	1351	1 3/32	28	40°	K080968	97 1/2	2475	1 3/32	28	40°
K080530	53 1/2	1359	1 3/32	28	40°	K080981	98 5/8	2505	1 3/32	28	40°
K080537	54 1/4	1379	1 3/32	28	40°	K080986	99 1/8	2519	1 3/32	28	40°
K080545	55 1/8	1399	1 3/32	28	40°	K080991	99 5/8	2531	1 3/32	28	40°

* Dual Sided Belt

Micro-V AT® Belts Listed by Number

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
K081000	100 5/8	2555	1 3/32	28	40°	K100677	68 1/4	1734	1 3/8	35	40°
K081005	101 1/8	2568	1 3/32	28	40°	K100710	71 1/2	1816	1 3/8	35	40°
K081020	102 5/8	2605	1 3/32	28	40°	K100719	72 3/8	1840	1 3/8	35	40°
K081023	102 7/8	2613	1 3/32	28	40°	K100731	73 5/8	1871	1 3/8	35	40°
K081035	104	2642	1 3/32	28	40°	K100739	74 1/2	1893	1 3/8	35	40°
K081074	108	2745	1 3/32	28	40°	K100771	77 3/4	1976	1 3/8	35	40°
K081079	108 1/2	2756	1 3/32	28	40°	K100789	79 1/2	2019	1 3/8	35	40°
K081088	109 3/8	2778	1 3/32	28	40°	K100810	81 5/8	2073	1 3/8	35	40°
K081092	109 3/4	2788	1 3/32	28	40°	K100840	84 5/8	2149	1 3/8	35	40°
K081102	110 3/4	2814	1 3/32	28	40°	K100852	85 7/8	2182	1 3/8	35	40°
K081124	113	2869	1 3/32	28	40°	K100891	89 3/4	2278	1 3/8	35	40°
K081145	115 1/8	2924	1 3/32	28	40°	K120281	28 3/4	730	1 21/32	42	40°
K081153	116 1/4	2953	1 3/32	28	40°	K120360	36 5/8	929	1 21/32	42	40°
K081177	118 1/4	3005	1 3/32	28	40°	K120390	39 3/4	1008	1 21/32	42	40°
K081189	119 1/2	3035	1 3/32	28	40°	K120400	40 3/4	1034	1 21/32	42	40°
K081196	120 1/8	3050	1 3/32	28	40°	K120410	41 1/2	1054	1 21/32	42	40°
K081207	121 3/8	3082	1 3/32	28	40°	K120525	53 1/8	1351	1 21/32	42	40°
K081213	121 7/8	3096	1 3/32	28	40°	K120559	56 1/2	1436	1 21/32	42	40°
K081223	122 3/4	3117	1 3/32	28	40°	K120594	60	1523	1 21/32	42	40°
K081253	125 7/8	3198	1 3/32	28	40°	K120606	61 1/8	1553	1 21/32	42	40°
K081264	127	3227	1 3/32	28	40°	K120610	61 3/4	1569	1 21/32	42	40°
K081265	127 1/8	3228	1 3/32	28	40°	K120702	70 3/4	1798	1 21/32	42	40°
K081298	130 3/8	3312	1 3/32	28	40°	K120720	72 5/8	1845	1 21/32	42	40°
K081325	133 1/8	3381	1 3/32	28	40°	K120738	74 3/8	1889	1 21/32	42	40°
K081331	133 3/4	3396	1 3/32	28	40°	K120815	82	2083	1 21/32	42	40°
K081359	136 1/2	3468	1 3/32	28	40°	K120842	84 3/4	2154	1 21/32	42	40°
K081362	136 3/4	3499	1 3/32	28	40°	K120864	86 7/8	2208	1 21/32	42	40°
K081377	138 1/4	3513	1 3/32	28	40°	K120872	87 3/4	2230	1 21/32	42	40°
K090500	50 1/2	1282	1 7/32	31	40°	K120878	88 3/8	2245	1 21/32	42	40°
K090609	61 1/2	1562	1 7/32	31	40°	K120891	89 5/8	2278	1 21/32	42	40°
K100381	38 3/4	983	1 3/8	35	40°	K120901	90 5/8	2301	1 21/32	42	40°
K100437	44 1/4	1124	1 3/8	35	40°	K120903	90 7/8	2308	1 21/32	42	40°
K100445	45 1/8	1148	1 3/8	35	40°	K120911	91 3/4	2329	1 21/32	42	40°
K100456	46 1/8	1173	1 3/8	35	40°	K120924	93 1/8	2364	1 21/32	42	40°
K100465	47	1195	1 3/8	35	40°	K120931	93 3/4	2381	1 21/32	42	40°
K100485	48 7/8	1241	1 3/8	35	40°	K120964	97	2463	1 21/32	42	40°
K100495	50 1/8	1274	1 3/8	35	40°	K120979	98 1/8	2492	1 21/32	42	40°
K100502	50 3/4	1288	1 3/8	35	40°	K121039	104 1/2	2654	1 21/32	42	40°
K100510	51 1/2	1309	1 3/8	35	40°	K140345	35	890	1 15/16	49	40°
K100535	54	1373	1 3/8	35	40°	K140352	35 7/8	910	1 15/16	49	40°
K100540	54 1/2	1385	1 3/8	35	40°	K140370	37 1/2	954	1 15/16	49	40°
K100554	56	1423	1 3/8	35	40°	K140429	43 1/2	1106	1 15/16	49	40°
K100563	56 7/8	1444	1 3/8	35	40°	K140433	43 7/8	1116	1 15/16	49	40°
K100570	57 1/2	1462	1 3/8	35	40°	K140451	45 5/8	1160	1 15/16	49	40°
K100572	57 7/8	1469	1 3/8	35	40°	K140496	50 1/8	1274	1 15/16	49	40°
K100575	58 1/8	1475	1 3/8	35	40°	K140516	52 1/8	1325	1 15/16	49	40°
K100579	58 1/2	1487	1 3/8	35	40°	K140524	53 1/8	1350	1 15/16	49	40°
K100594	60	1523	1 3/8	35	40°	K140555	56	1422	1 15/16	49	40°
K100607	61 1/4	1557	1 3/8	35	40°	K140580	58 5/8	1490	1 15/16	49	40°
K100610	61 5/8	1564	1 3/8	35	40°	K140594	60	1523	1 15/16	49	40°
K100618	62 3/8	1585	1 3/8	35	40°	K140597	60 3/8	1534	1 15/16	49	40°
K100630	63 5/8	1616	1 3/8	35	40°	K140603	60 7/8	1546	1 15/16	49	40°
K100637	64 1/4	1633	1 3/8	35	40°	K140618	62 3/8	1585	1 15/16	49	40°
K100640	64 5/8	1642	1 3/8	35	40°	K140627	63 3/8	1609	1 15/16	49	40°
K100655	66	1678	1 3/8	35	40°	K140662	66 3/4	1696	1 15/16	49	40°
K100658	66 3/8	1687	1 3/8	35	40°	K140682	68 3/4	1746	1 15/16	49	40°
K100665	67 1/8	1704	1 3/8	35	40°	K140700	70 1/2	1789	1 15/16	49	40°
K100670	67 1/2	1716	1 3/8	35	40°	K150759	76 3/8	1942	2 1/16	53	40°
K100675	68	1728	1 3/8	35	40°						

* Dual Sided Belt

Micro-V AT[®] Belts

Listed by Width and Length

Showing Nominal Belt Top Widths, Outside Lengths and Angles
with Our Corresponding Belt Numbers

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
3/16" (4.7mm) Top Width				9/16" (14mm) Top Width				21/32" (17mm) Top Width			
31 7/8.....810 40°.....2PJ800				- Continued				- Continued			
33 1/4.....846 40°.....2PJ836				36 3/4.....932 40°.....K040360				35 5/8.....906 40°.....K050350			
33 5/8.....855 40°.....2PJ845				37 1/8.....943 40°.....K040365				36 1/8.....918 40°.....K050355			
34 1/4.....870 40°.....2PJ860				37 1/2.....954 40°.....K040370				36 3/4.....932 40°.....K050360			
36.....915 40°.....2PJ905				38.....964 40°.....K040372				37.....939 40°.....K050364			
13/32" (11mm) Top Width				38 1/2.....977 40°.....K040378				37 1/8.....943 40°.....K050365			
20.....509 40°.....K030195				38 3/4.....983 40°.....K040382				37 3/8.....949 40°.....K050368			
22 5/8.....576 40°.....K030220				39.....990 40°.....K040384				37 3/4.....957 40°.....K050370			
24 1/4.....615 40°.....K030236				39 1/8.....993 40°.....K040385				38 1/4.....970 40°.....K050375			
24 3/4.....629 40°.....K030240				39 3/8.....999 40°.....K040388				38 3/4.....983 40°.....K050380			
24 7/8.....632 40°.....K030243				39 3/4.....1008 40°.....K040390				39 1/4.....996 40°.....K050385			
25 1/4.....640 40°.....K030245				40 1/4.....1020 40°.....K040395				39 3/4.....1008 40°.....K050390			
25 3/4.....654 40°.....K030250				40 3/8.....1027 40°.....K040398				40 1/4.....1021 40°.....K050396			
27 1/8.....689 40°.....K030265				40 5/8.....1030 40°.....K040399				40 3/8.....1027 40°.....K050398			
27 3/8.....695 40°.....K030267				40 3/4.....1035 40°.....K040400				40 5/8.....1031 40°.....K050400			
28 3/4.....730 40°.....K030280				41 1/4.....1050 40°.....K040405				40 3/4.....1035 40°.....K050402			
29 3/4.....755 40°.....K030290				41 5/8.....1060 40°.....K040410				41 1/4.....1047 40°.....K050405			
30 1/8.....765 40°.....K030295				42.....1068 40°.....K040415				41 3/8.....1050 40°.....K050407			
30 1/2.....775 40°.....K030299				42 1/8.....1068 40°.....K040413				41 3/4.....1059 40°.....K050410			
30 3/4.....781 40°.....K030300				42 3/8.....1075 40°.....K040418				42 1/8.....1068 40°.....K050415			
31 5/8.....805 40°.....K030310				42 5/8.....1085 40°.....K040420				42 3/8.....1076 40°.....K050418			
32 7/8.....836 40°.....K030323				43 1/8.....1095 40°.....K040425				42 5/8.....1084 40°.....K050420			
33 1/2.....850 40°.....K030328				43 3/4.....1110 40°.....K040430				43 1/8.....1095 40°.....K050425			
34.....864 40°.....K030334				44 3/8.....1125 40°.....K040438				43 1/2.....1103 40°.....K050429			
34 3/8.....874 40°.....K030338				44 3/4.....1135 40°.....K040440				43 3/4.....1113 40°.....K050433			
34 5/8.....881 40°.....K030340				45 1/4.....1150 40°.....K040445				44 1/8.....1122 40°.....K050435			
35 5/8.....906 40°.....K030350				45 3/4.....1160 40°.....K040450				44 1/2.....1129 40°.....K050438			
37 1/8.....943 40°.....K030365				46 1/4.....1175 40°.....K040457				44 3/4.....1135 40°.....K050440			
39 1/8.....993 40°.....K030384				46 5/8.....1185 40°.....K040460				45 1/8.....1148 40°.....K050446			
39 3/4.....1008 40°.....K030390				47.....1195 40°.....K040465				45 3/8.....1152 40°.....K050448			
40 1/4.....1021 40°.....K030395				47 3/4.....1215 40°.....K040470				45 5/8.....1160 40°.....K050450			
42 1/8.....1068 40°.....K030415				48 1/8.....1223 40°.....K040476				46.....1170 40°.....K050455			
42 3/4.....1095 40°.....K030425				49 3/8.....1254 40°.....K040488				46 3/8.....1179 40°.....K050459			
44 3/4.....1135 40°.....K030441				49 1/2.....1255 40°.....K040490				46 5/8.....1186 40°.....K050460			
46.....1170 40°.....K030455				50 5/8.....1285 40°.....K040500				47 5/8.....1211 40°.....K050470			
47 3/4.....1212 40°.....K030471				51 1/8.....1300 40°.....K040506				47 7/8.....1218 40°.....K050474			
9/16" (14mm) Top Width				51 1/2.....1310 40°.....K040510				48 3/8.....1228 40°.....K050478			
22 5/8.....575 40°.....K040220				51 3/4.....1315 40°.....K040512				48 5/8.....1237 40°.....K050480			
24 1/2.....622 40°.....K040233				52.....1320 40°.....K040514				49 1/8.....1249 40°.....K050486			
25 1/4.....640 40°.....K040245				52 1/8.....1325 40°.....K040517				49 1/2.....1258 40°.....K050490			
25 3/4.....654 40°.....K040250				52 5/8.....1335 40°.....K040520				50 5/8.....1286 40°.....K050500			
27 3/4.....704 40°.....K040270				53 1/8.....1349 40°.....K040525				51.....1297 40°.....K050505			
28.....710 40°.....K040274				53 1/2.....1359 40°.....K040529				51 1/8.....1300 40°.....K050507			
28 1/4.....717 40°.....K040275				54.....1370 40°.....K040535				51 3/4.....1315 40°.....K050510			
29 1/4.....742 40°.....K040285				55.....1395 40°.....K040545				52 1/4.....1327 40°.....K050516			
29 3/4.....755 40°.....J060293				55 5/8.....1414 40°.....K040551				52 5/8.....1338 40°.....K050520			
29 3/4.....755 40°.....K040292				56 1/2.....1435 40°.....K040560				52 7/8.....1343 40°.....K050523			
30 3/4.....781 40°.....K040300				58 1/8.....1475 40°.....K040575				53 1/2.....1359 40°.....K050530			
31 1/4.....793 40°.....K040305				60.....1525 40°.....K040595				53 7/8.....1367 40°.....K050532			
31 3/4.....805 40°.....K040310				62 5/8.....1591 40°.....K040620				54 3/8.....1380 40°.....K050538			
32 1/4.....818 40°.....K040315				63 5/8.....1615 40°.....K040630				55 1/4.....1404 40°.....K050545			
32 1/2.....824 40°.....K040319				64.....1627 40°.....K040635				55 3/4.....1415 40°.....K050551			
32 3/4.....831 40°.....K040320				69 1/8.....1755 40°.....K040685				57.....1448 40°.....K050565			
32 7/8.....836 40°.....K040322				75 1/8.....1905 40°.....K040745				57 1/2.....1462 40°.....K050570			
33 1/4.....844 40°.....K040325				76 7/8.....1952 40°.....K040762				57 3/4.....1468 40°.....*DK050565			
33 3/8.....849 40°.....K040329				88 3/4.....2255 40°.....K040882				59 1/4.....1504 40°.....K050586			
33 1/2.....850 40°.....J060328				94 5/8.....2405 40°.....K040940				61 1/2.....1563 40°.....K050609			
33 3/4.....856 40°.....K040330				21/32" (17mm) Top Width				62 1/8.....1579 40°.....*DK050610			
33 3/4.....858 40°.....K040332				20 3/4.....527 40°.....K050200				62 3/8.....1584 40°.....K050618			
34.....864 40°.....K040335				28 1/4.....717 40°.....K050275				63 1/8.....1603 40°.....K050625			
34 1/8.....867 40°.....K040336				28 3/4.....730 40°.....K050280				63 5/8.....1616 40°.....K050630			
34 1/4.....871 40°.....K040337				29 3/4.....755 40°.....K050290				64 1/8.....1627 40°.....K050635			
34 3/8.....874 40°.....K040338				32 1/4.....818 40°.....K050316				64 5/8.....1642 40°.....K050640			
34 5/8.....881 40°.....K040340				32 1/2.....824 40°.....K050317				65.....1651 40°.....K050644			
34 7/8.....885 40°.....K040343				32 3/4.....831 40°.....K050321				65 1/4.....1657 40°.....K050647			
35.....889 40°.....K040345				33.....837 40°.....K050323				65 5/8.....1667 40°.....K050650			
35 1/4.....894 40°.....K040346				33 1/4.....843 40°.....K050326				65 7/8.....1675 40°.....K050653			
35 3/8.....897 40°.....K040347				33 3/4.....856 40°.....K050330				66 3/8.....1687 40°.....K050658			
35 5/8.....906 40°.....K040350				34.....864 40°.....K050335				66 3/4.....1696 40°.....K050660			
35 7/8.....912 40°.....K040353				34 3/8.....872 40°.....K050336				67 1/8.....1704 40°.....K050665			
36 1/8.....918 40°.....K040355				34 5/8.....881 40°.....K050340				69 3/4.....1772 40°.....K050690			
36 3/8.....924 40°.....K040358				35.....889 40°.....K050344				71 1/8.....1807 40°.....K050705			
				35 1/4.....894 40°.....K050345				72 1/8.....1831 40°.....K050715			
								72 5/8.....1845 40°.....K050720			

* Dual Sided Belt

Micro-V AT® Belts Listed by Width and Length

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
21/32" (17mm) Top Width				13/16" (20mm) Top Width				13/16" (20mm) Top Width			
- Continued				- Continued				- Continued			
75 3/8	1914	40°	K050750	56	1423	40°	K060555	83 3/8	2119	40°	K060828
76	1932	40°	K050755	56 1/4	1429	40°	K060557	83 3/4	2127	40°	K060832
76 1/4	1937	40°	K050757	56 1/2	1436	40°	K060559	84 1/4	2140	40°	K060837
78 3/8	1989	40°	K050778	56 5/8	1439	40°	K060560	84 1/2	2147	40°	K060840
82 1/2	2096	40°	K050817	56 7/8	1445	40°	K060563	84 5/8	2149	40°	K060841
83 1/8	2112	40°	K050825	57 1/2	1462	40°	K060569	84 3/4	2153	40°	K060842
84	2134	40°	K050835	57 7/8	1471	40°	K060573	85 1/4	2165	40°	K060845
84 1/8	2138	40°	K050836	58	1473	40°	K060575	85 1/2	2171	40°	K060849
85 1/8	2164	40°	K050845	58 3/8	1483	40°	K060578	85 7/8	2182	40°	K060854
86 1/8	2187	40°	K050855	59 1/4	1504	40°	K060586	86 3/8	2193	40°	K060858
89 1/8	2265	40°	K050887	59 3/8	1508	40°	K060588	86 5/8	2201	40°	K060860
				60	1523	40°	K060594	86 7/8	2206	40°	K060863
				60 3/8	1534	40°	K060598	86 7/8	2208	40°	K060864
				60 3/4	1542	40°	K060602	87 1/4	2216	40°	K060866
				60 7/8	1547	40°	K060604	87 3/8	2219	40°	K060868
				61 1/8	1553	40°	K060605	87 5/8	2225	40°	K060870
				61 1/2	1563	40°	K060609	87 7/8	2233	40°	K060874
				61 3/4	1569	40°	K060612	88 1/8	2238	40°	K060875
				62 1/8	1577	40°	K060615	88 1/8	2239	40°	K060876
				62 5/8	1591	40°	K060620	88 3/8	2245	40°	K060878
				62 7/8	1598	40°	K060623	88 7/8	2257	40°	K060882
				63 1/8	1603	40°	K060625	89	2261	40°	K060883
				63 5/8	1616	40°	K060630	89 1/8	2263	40°	K060885
				64 1/8	1627	40°	K060635	89 1/8	2265	40°	K060886
				64 3/8	1634	40°	K060637	89 1/2	2273	40°	K060888
				64 5/8	1642	40°	K060640	89 3/4	2278	40°	K060891
				64 3/4	1646	40°	K060642	90 1/8	2289	40°	K060895
				65	1651	40°	K060645	90 5/8	2301	40°	K060900
				65 1/2	1665	40°	K060650	90 7/8	2308	40°	K060905
				65 3/4	1669	40°	K060651	91 1/4	2318	40°	K060908
				65 7/8	1674	40°	K060653	91 5/8	2329	40°	K060910
				66 3/8	1687	40°	K060658	92 1/8	2340	40°	K060915
				66 3/4	1696	40°	K060660	92 3/8	2347	40°	K060919
				66 7/8	1699	40°	K060663	92 7/8	2360	40°	K060923
				67 1/4	1708	40°	K060667	93 1/8	2364	40°	K060926
				67 1/2	1716	40°	K060670	93 5/8	2377	40°	K060930
				67 3/4	1722	40°	K060672	94	2387	40°	K060935
				68	1728	40°	K060675	94 1/2	2400	40°	K060938
				68 1/2	1741	40°	*DK060674	94 3/4	2407	40°	K060942
				68 5/8	1742	40°	K060680	95 1/8	2415	40°	K060945
				68 7/8	1750	40°	K060682	95 1/4	2419	40°	K060947
				69 1/8	1756	40°	K060685	95 5/8	2428	40°	K060950
				69 5/8	1767	40°	K060690	95 3/4	2432	40°	*DK060956
				70	1777	40°	K060695	96 1/8	2440	40°	K060956
				70 1/4	1783	40°	K060696	96 5/8	2452	40°	K060960
				70 7/8	1799	40°	K060703	96 7/8	2460	40°	K060962
				71 1/8	1807	40°	K060705	97 1/8	2468	40°	K060966
				71 1/4	1811	40°	*DK060702	97 5/8	2479	40°	K060970
				71 1/2	1816	40°	K060710	98 1/8	2492	40°	K060975
				71 5/8	1820	40°	K060711	98 5/8	2504	40°	*DK060973
				72	1830	40°	K060716	98 5/8	2505	40°	K060980
				72 5/8	1845	40°	K060721	99	2513	40°	K060984
				72 3/4	1848	40°	K060722	99 1/2	2526	40°	K060988
				73	1853	40°	*DK060718	99 5/8	2531	40°	K060990
				73 1/4	1859	40°	K060725	99 7/8	2537	40°	K060994
				73 1/2	1867	40°	K060730	100	2539	40°	K060995
				73 3/4	1872	40°	*DK060725	100 1/4	2546	40°	K060997
				73 7/8	1876	40°	K060733	100 5/8	2555	40°	K061000
				74 1/8	1881	40°	K060735	101 1/8	2568	40°	K061005
				74 1/4	1885	40°	*DK060729	101 5/8	2581	40°	K061010
				74 1/2	1893	40°	K060739	102 1/8	2593	40°	K061015
				75	1904	40°	K060744	102 1/4	2596	40°	K061016
				75 3/8	1914	40°	K060747	102 5/8	2605	40°	K061020
				75 5/8	1921	40°	K060750	103	2615	40°	K061025
				76	1932	40°	K060755	103 5/8	2633	40°	K061031
				76 1/2	1942	40°	K060760	103 7/8	2639	40°	K061033
				76 7/8	1951	40°	K060763	104 1/4	2649	40°	K061037
				77	1957	40°	K060764	105	2666	40°	K061045
				77 3/8	1967	40°	K060770	105 1/2	2680	40°	K061049
				77 7/8	1977	40°	K060772	106	2692	40°	K061054
				78	1982	40°	K060775	106 3/8	2701	40°	K061058
				78 5/8	1996	40°	K060780	107 1/8	2722	40°	K061066
				79	2007	40°	K060785	107 7/8	2741	40°	K061073
				79 1/2	2018	40°	K060790	108 1/8	2746	40°	K061075
				80 1/8	2034	40°	K060795	108 3/4	2761	40°	K061080
				80 3/8	2043	40°	*DK060791	109 3/8	2780	40°	K061098
				80 3/8	2040	40°	K060798	109 3/4	2788	40°	K061093
				80 3/4	2051	40°	K060802	110 1/2	2807	40°	K061099
				81	2057	40°	K060804	111 1/8	2824	40°	K061105
				81 1/8	2061	40°	K060806	111 5/8	2835	40°	K061110
				81 5/8	2073	40°	K060810	111 7/8	2841	40°	K061115
				82 1/8	2085	40°	K060815	112 1/2	2859	40°	K061120
				82 1/2	2093	40°	K060819	112 7/8	2869	40°	K061123
				82 1/2	2096	40°	K060820	113 5/8	2886	40°	K061130
				83 1/8	2112	40°	K060825	114 1/2	2910	40°	K061140
				83 1/4	2116	40°	K060827	114 5/8	2911	40°	K061141
13/16" (20mm) Top Width											
- Continued											
29 1/2	748	40°	K060288								
30 1/8	765	40°	K060295								
31 1/4	793	40°	K060305								
33 1/4	844	40°	K060325								
33 3/4	856	40°	K060331								
34 3/8	873	40°	K060338								
34 3/4	881	40°	K060340								
35 1/4	894	40°	K060345								
36 1/8	918	40°	K060355								
37 1/8	943	40°	K060365								
37 3/4	957	40°	K060370								
38	964	40°	K060374								
38 3/4	983	40°	K060380								
39 1/8	993	40°	K060385								
39 3/8	999	40°	K060388								
39 3/4	1008	40°	K060390								
39 7/8	1012	40°	K060393								
40 3/4	1034	40°	K060400								
41	1043	40°	K060405								
41 1/4	1050	40°	K060406								
41 3/8	1052	40°	K060407								
41 1/2	1054	40°	K060408								
41 5/8	1056	40°	K060409								
41 3/4	1059	40°	K060410								
42 1/8	1069	40°	K060415								
42 3/8	1076	40°	K060418								
42 1/2	1081	40°	K060420								
42 7/8	1089	40°	K060423								
43 1/8	1095	40°	K060425								
43 1/8	1096	40°	K060426								
43 1/2	1103	40°	K060427								
43 3/4	1111	40°	K060431								
43 7/8	1116	40°	K060434								
44 1/8	1122	40°	K060435								
44 1/2	1129	40°	K060439								
44 3/4	1135	40°	K060441								
45 1/8	1148	40°	K060445								
45 3/8	1153	40°	K060448								
45 5/8	1160	40°	K060450								
46	1170	40°	K060455								
46 3/8	1179	40°	K060458								
46 5/8	1186	40°	K060461								
47	1195	40°	K06046								

Micro-V AT® Belts Listed by Width and Length

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
13/16" (20mm) Top Width				15/16" (24mm) Top Width				1 3/32" (28mm) Top Width			
- Continued				- Continued				- Continued			
115 1/4	2927	40°	K061145	104 5/8	2656	40°	K071040	73 1/2	1867	40°	K080730
118 1/4	3005	40°	K061177	105 1/8	2671	40°	K071045	73 3/4	1874	40°	K080733
119 1/4	3030	40°	K061187	106 1/4	2699	40°	K071056	74	1880	40°	K080734
120 1/8	3051	40°	K061195	107 1/8	2720	40°	K071065	74 3/8	1889	40°	K080738
120 7/8	3069	40°	K061203	113 5/8	2886	40°	K071130	74 5/8	1896	40°	K080740
125 1/4	3183	40°	K061247	114	2897	40°	K071134	75 1/8	1907	40°	K080745
125 5/8	3192	40°	K061251	114 5/8	2912	40°	K071141	75 5/8	1921	40°	K080751
136 1/2	3467	40°	K061360	115 5/8	2936	40°	K071150	76	1931	40°	K080755
137 1/2	3492	40°	K061369	116 1/4	2953	40°	K071157	76 1/2	1942	40°	K080760
138 5/8	3519	40°	K061380	119 7/8	3046	40°	K071194	77	1957	40°	K080765
15/16" (24mm) Top Width				1 3/32" (28mm) Top Width				- Continued			
32 1/2	824	40°	K070319	30 3/4	781	40°	K080300	78 5/8	1996	40°	K080780
36 7/8	936	40°	K070362	33 3/4	856	40°	K080330	79	2007	40°	K080785
37 3/4	957	40°	K070370	36 3/4	932	40°	K080360	79 1/2	2019	40°	K080790
39 3/4	1008	40°	K070390	37 1/8	943	40°	K080365	80 1/8	2037	40°	K080797
42	1068	40°	K070415	37 3/4	957	40°	K080370	81 1/8	2061	40°	K080806
43 1/8	1095	40°	K070425	38 1/8	968	40°	K080375	81 5/8	2073	40°	K080810
45 3/8	1153	40°	K070448	38 3/4	983	40°	K080382	82 1/8	2086	40°	K080816
49 5/8	1261	40°	K070491EMD	39	990	40°	K080384	82 3/8	2091	40°	K080817
51 1/8	1300	40°	K070505	39 3/4	1008	40°	K080390	82 3/4	2101	40°	K080820
54 1/2	1385	40°	K070539	39 7/8	1014	40°	K080392	83 1/8	2112	40°	K080825
54 7/8	1394	40°	*DK070536	40 3/4	1034	40°	K080400	83 3/4	2127	40°	K080830
55 7/8	1418	40°	K070553	41 3/8	1051	40°	K080408	84 3/8	2144	40°	K080839
56 3/8	1432	40°	*DK070551	42 1/8	1069	40°	K080415	84 3/4	2154	40°	K080842
61 5/8	1564	40°	K070610	43	1091	40°	K080424	86 1/8	2187	40°	K080855
62 3/4	1594	40°	K070622	43 1/2	1103	40°	K080427	86 3/8	2195	40°	K080859
63 3/8	1609	40°	K070628	44 1/8	1122	40°	K080435	87 1/8	2212	40°	K080865
63 5/8	1616	40°	K070630	45 5/8	1160	40°	K080450	87 3/4	2230	40°	K080872
64 5/8	1642	40°	K070640	46	1170	40°	K080455	88 1/8	2240	40°	K080876
65	1651	40°	K070644	46 3/8	1179	40°	K080458	88 3/8	2245	40°	K080878
65 7/8	1675	40°	K070653	47	1195	40°	K080465	89 7/8	2282	40°	K080893
66	1678	40°	K070655	47 3/4	1211	40°	K080471	90 3/8	2295	40°	K080897
66 1/2	1688	40°	K070649	49 1/8	1249	40°	K080485	90 7/8	2308	40°	K080903
67 1/2	1714	40°	K070669	49 5/8	1260	40°	K080491	91 5/8	2326	40°	K080910
67 3/4	1722	40°	K070673	50 1/8	1274	40°	K080496	92 1/8	2340	40°	K080915
68 1/4	1734	40°	K070677	51	1297	40°	K080505	92 3/4	2355	40°	K080922
68 5/8	1743	40°	K070680	51 1/2	1309	40°	K080510	93 1/8	2367	40°	K080926
68 7/8	1750	40°	K070683	52	1320	40°	K080514	93 7/8	2384	40°	K080934
69 1/8	1756	40°	K070685	53 1/8	1351	40°	K080525	94 1/2	2400	40°	K080939
69 1/2	1767	40°	K070690	53 1/2	1359	40°	K080530	95	2412	40°	K080944
70	1779	40°	K070694	54	1370	40°	*DK080534	95 3/8	2424	40°	K080948
70 3/4	1796	40°	K070701	54 1/4	1379	40°	K080537	95 3/4	2432	40°	K080952
71 1/8	1807	40°	K070705	55 1/8	1399	40°	K080545	96 1/4	2444	40°	K080956
71 1/2	1816	40°	K070709	55 3/4	1415	40°	K080550	97 1/2	2475	40°	K080968
72 3/4	1847	40°	K070721	56 1/4	1429	40°	K080558	98 5/8	2505	40°	K080981
73 3/4	1874	40°	K070733	56 5/8	1439	40°	K080560	99 1/8	2519	40°	K080986
74 1/8	1883	40°	K070735	57	1448	40°	K080565	99 5/8	2531	40°	K080991
75 5/8	1920	40°	K070750	57 1/8	1452	40°	K080566	100 5/8	2555	40°	K081000
76 1/8	1933	40°	K070755	57 1/2	1462	40°	K080570	101 1/8	2568	40°	K081005
76 7/8	1951	40°	K070763	58 1/8	1475	40°	K080575	102 5/8	2605	40°	K081020
78	1982	40°	K070776	58 5/8	1490	40°	K080580	102 7/8	2613	40°	K081023
79 1/8	2011	40°	K070786	59	1499	40°	K080585	104	2642	40°	K081035
80	2033	40°	K070795	59 1/2	1512	40°	K080590	108	2745	40°	K081074
81 5/8	2073	40°	K070810	60	1523	40°	K080594	108 1/2	2756	40°	K081079
82 3/4	2102	40°	K070822	60 5/8	1538	40°	K080600	109 3/8	2778	40°	K081088
82 7/8	2105	40°	*DK070817	61 1/8	1553	40°	K080605	109 3/4	2788	40°	K081092
83 1/8	2112	40°	K070825	61 3/4	1569	40°	K080610	110 3/4	2814	40°	K081102
84	2133	40°	K070834	62 1/8	1577	40°	K080615	113	2869	40°	K081124
84	2134	40°	K070835	62 5/8	1591	40°	K080620	115 1/8	2924	40°	K081145
85 1/4	2164	40°	K070846	62 7/8	1598	40°	K080623	116 1/4	2953	40°	K081153
85 3/4	2178	40°	K070852	63 1/8	1603	40°	K080626	118 1/4	3005	40°	K081177
86 1/8	2187	40°	K070855	63 5/8	1616	40°	K080630	119 1/2	3035	40°	K081189
87 7/8	2232	40°	K070873	64 1/4	1633	40°	K080635	120 1/8	3050	40°	K081196
88 1/2	2249	40°	K070880	65	1651	40°	K080644	121 3/8	3082	40°	K081207
88 3/4	2255	40°	K070882	65 1/4	1657	40°	K080645	121 7/8	3096	40°	K081213
89 1/8	2263	40°	K070885	65 1/2	1665	40°	K080649	122 3/4	3117	40°	K081223
89 1/8	2265	40°	K070886	65 7/8	1674	40°	K080653	125 7/8	3198	40°	K081253
89 3/4	2278	40°	K070890	66 1/4	1683	40°	K080655	127	3227	40°	K081264
90 1/8	2289	40°	K070896	66 1/2	1691	40°	K080660	127 1/8	3228	40°	K081265
90 5/8	2301	40°	K070901	67 1/2	1716	40°	K080670	130 3/8	3312	40°	K081298
90 7/8	2308	40°	K070903	67 3/4	1722	40°	K080672	133 1/8	3381	40°	K081325
91 1/8	2314	40°	K070905	68	1728	40°	K080675	133 3/4	3396	40°	K081331
92 1/4	2343	40°	K070916	68 1/4	1734	40°	K080677	136 1/2	3468	40°	K081359
92 3/4	2357	40°	K070922	68 5/8	1742	40°	K080680	136 3/4	3499	40°	K081362
93	2362	40°	K070924	69 1/8	1756	40°	K080685	138 1/4	3513	40°	K081377
93 5/8	2378	40°	K070931	69 5/8	1767	40°	K080690	1 7/32" (31mm) Top Width			
95 3/4	2431	40°	K070951	70	1777	40°	K080694	50 1/2	1282	40°	K090500
97 3/4	2481	40°	K070971	70 1/2	1789	40°	K080700	61 1/2	1562	40°	K090609
97 3/4	2484	40°	K070975	70 3/4	1798	40°	K080702	1 3/8" (35mm) Top Width			
98 1/8	2492	40°	K070976	71 1/4	1811	40°	K080708	38 3/4	983	40°	K100381
101 1/8	2568	40°	K071005	71 1/2	1816	40°	K080710	44 1/4	1124	40°	K100437
101 3/8	2576	40°	K071009	72 1/8	1831	40°	K080716	45 1/8	1148	40°	K100445
101 7/8	2586	40°	K071013	72 5/8	1845	40°	K080720				
103 5/8	2633	40°	K071031	73 1/4	1859	40°	K080726				
104 1/4	2649	40°	K071037								

* Dual Sided Belt

Micro-V AT® Belts Listed by Width and Length

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
1 3/8" (35mm) Top Width				1 3/8" (35mm) Top Width				1 21/32" (42mm) Top Width			
- Continued				- Continued				- Continued			
46 1/8	1173	40°	K100456	77 3/4	1976	40°	K100771	93 1/8	2364	40°	K120924
47	1195	40°	K100465	79 1/2	2019	40°	K100789	93 3/4	2381	40°	K120931
48 7/8	1241	40°	K100485	81 5/8	2073	40°	K100810	97	2463	40°	K120964
50 1/8	1274	40°	K100495	84 5/8	2149	40°	K100840	98 1/8	2492	40°	K120979
50 3/4	1288	40°	K100502	85 7/8	2182	40°	K100852	104 1/2	2654	40°	K121039
51 1/2	1309	40°	K100510	89 3/4	2278	40°	K100891				
54	1373	40°	K100535	1 21/32" (42mm) Top Width				1 15/16" (49mm) Top Width			
54 1/2	1385	40°	K100540	28 3/4	730	40°	K120281	35	890	40°	K140345
56	1423	40°	K100554	36 5/8	929	40°	K120360	35 7/8	910	40°	K140352
56 7/8	1444	40°	K100563	39 3/4	1008	40°	K120390	37 1/2	954	40°	K140370
57 1/2	1462	40°	K100570	40 3/4	1034	40°	K120400	43 1/2	1106	40°	K140429
57 7/8	1469	40°	K100572	41 1/2	1054	40°	K120410	43 7/8	1116	40°	K140433
58 1/8	1475	40°	K100575	53 1/8	1351	40°	K120525	45 5/8	1160	40°	K140451
58 1/2	1487	40°	K100579	56 1/2	1436	40°	K120559	50 1/8	1274	40°	K140496
60	1523	40°	K100594	60	1523	40°	K120594	52 1/8	1325	40°	K140516
61 1/4	1557	40°	K100607	61 1/8	1553	40°	K120606	53 1/8	1350	40°	K140524
61 5/8	1564	40°	K100610	61 3/4	1569	40°	K120610	56	1422	40°	K140555
62 3/8	1585	40°	K100618	70 3/4	1798	40°	K120702	58 5/8	1490	40°	K140580
63 5/8	1616	40°	K100630	72 5/8	1845	40°	K120720	60	1523	40°	K140594
64 1/4	1633	40°	K100637	74 3/8	1889	40°	K120738	60 3/8	1534	40°	K140597
64 5/8	1642	40°	K100640	82	2083	40°	K120815	60 7/8	1546	40°	K140603
66	1678	40°	K100655	84 3/4	2154	40°	K120842	62 3/8	1585	40°	K140618
66 3/8	1687	40°	K100658	86 7/8	2208	40°	K120864	63 3/8	1609	40°	K140627
67 1/8	1704	40°	K100665	87 3/4	2230	40°	K120872	66 3/4	1696	40°	K140662
67 1/2	1716	40°	K100670	88 3/8	2245	40°	K120878	68 3/4	1746	40°	K140682
68	1728	40°	K100675	89 5/8	2278	40°	K120891	70 1/2	1789	40°	K140700
68 1/4	1734	40°	K100677	90 5/8	2301	40°	K120901	2 1/16" (53mm) Top Width			
71 1/2	1816	40°	K100710	90 7/8	2308	40°	K120903	76 3/8	1942	40°	K150759
72 3/8	1840	40°	K100719	91 3/4	2329	40°	K120911				
73 5/8	1871	40°	K100731								
74 1/2	1893	40°	K100739								

Racing® Performance Micro-V® Belts Listed by Number

Showing Belt Numbers with Corresponding
Nominal Outside Lengths, Top Widths and Belt Color

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Belt Color	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Belt Color
K030250RB.....	25 3/4	654	13/32	11	Blue	K050321RB.....	32 3/4	831	21/32	17	Blue
K030295RB.....	30 1/8	765	13/32	11	Blue	K050336RB.....	34 3/8	872	21/32	17	Blue
K030300RB.....	30 3/4	781	13/32	11	Blue	K050344RB.....	35	889	21/32	17	Blue
K030334RB.....	34	864	13/32	11	Blue	K050345RB.....	35 1/4	894	21/32	17	Blue
K040274RB.....	27 7/8	709	9/16	14	Blue	K050350RB.....	35 5/8	905	11/16	17	Blue
K040300RB.....	30 3/4	781	9/16	14	Blue	K050380RB.....	38 3/4	983	21/32	17	Blue
K040305RB.....	31 1/4	792	9/16	14	Blue	K050390RB.....	39 3/4	1008	21/32	17	Blue
K040310RB.....	31 5/8	804	9/16	14	Blue	K050400RB.....	40 5/8	1030	11/16	17	Blue
K040315RB.....	32 1/4	818	9/16	14	Blue	K050415RB.....	42	1068	11/16	17	Blue
K040322RB.....	32 7/8	836	9/16	14	Blue	K050420RB.....	42 5/8	1084	11/16	17	Blue
K040325RB.....	33 1/4	844	9/16	14	Blue	K050425RB.....	43 1/8	1094	11/16	17	Blue
K040329RB.....	33 3/8	849	9/16	14	Blue	K050435RB.....	44 1/8	1122	21/32	17	Blue
K040330RB.....	33 5/8	855	9/16	14	Blue	K050507RB.....	51 1/8	1298	11/16	17	Blue
K040332RB.....	33 3/4	858	9/16	14	Blue	K050516RB.....	52 1/8	1325	11/16	17	Blue
K040335RB.....	34	864	9/16	14	Blue	K050887RB.....	89 1/8	2265	11/16	17	Blue
K040340RB.....	34 5/8	881	9/16	14	Blue	K060338RB.....	34 3/8	873	13/16	20	Blue
K040345RB.....	35	889	9/16	14	Blue	K060388RB.....	39 3/8	999	13/16	20	Blue
K040347RB.....	35 1/4	897	9/16	14	Blue	K060465RB.....	47	1195	13/16	20	Blue
K040353RB.....	35 7/8	911	9/16	14	Blue	K060547RB.....	55 1/4	1404	13/16	20	Blue
K040355RB.....	36 1/8	917	9/16	14	Blue	K060605RB.....	61 1/8	1553	13/16	20	Blue
K040360RB.....	36 5/8	932	9/16	14	Blue	K060642RB.....	64 3/4	1646	13/16	20	Blue
K040365RB.....	37 1/8	942	9/16	14	Blue	K060705RB.....	71 1/8	1806	13/16	20	Blue
K040370RB.....	37 1/2	954	9/16	14	Blue	K060739RB.....	74 1/2	1893	13/16	20	Blue
K040372RB.....	38	964	9/16	14	Blue	K060744RB.....	75	1904	13/16	20	Blue
K040384RB.....	39	990	9/16	14	Blue	K060763RB.....	76 7/8	1951	13/16	20	Blue
K040385RB.....	39 1/8	993	9/16	14	Blue	K060798RB.....	80 3/8	2040	13/16	20	Blue
K040390RB.....	39 5/8	1008	9/16	14	Blue	K060825RB.....	83 1/8	2112	13/16	20	Blue
K040398RB.....	40 3/8	1027	9/16	14	Blue	K060827RB.....	83 1/4	2115	13/16	20	Blue
K040400RB.....	40 5/8	1033	9/16	14	Blue	K060837RB.....	84 1/4	2141	13/16	20	Blue
K040405RB.....	41 1/4	1046	9/16	14	Blue	K060935RB.....	94	2387	13/16	20	Blue
K040410RB.....	41 5/8	1060	9/16	14	Blue	K060975RB.....	98 1/8	2492	13/16	20	Blue
K040420RB.....	42 5/8	1085	9/16	14	Blue	K061015RB.....	102 1/8	2593	13/16	20	Blue
K040440RB.....	44 3/4	1135	9/16	14	Blue	K070653RB.....	65 7/8	1675	15/16	24	Blue
K040476RB.....	48 1/8	1223	9/16	14	Blue	K070680RB.....	68 5/8	1743	15/16	24	Blue
K040517RB.....	52 1/8	1325	9/16	14	Blue	K070763RB.....	76 7/8	1951	15/16	24	Blue
K040551RB.....	55 5/8	1414	9/16	14	Blue	K070896RB.....	90 1/8	2289	15/16	24	Blue

Racing® Performance Micro-V® Belts Listed by Width and Length

Showing Nominal Belt Top Widths, Outside Lengths and
Belt Color with Our Corresponding Belt Numbers

Length (in)	Length (mm)	Belt Color	Belt No.	Length (in)	Length (mm)	Belt Color	Belt No.	Length (in)	Length (mm)	Belt Color	Belt No.
13/32" (11mm) Top Width				9/16" (14mm) Top Width				11/16" (17mm) Top Width			
25 3/4	654	Blue.....	K030250RB	- Continued				- Continued			
30 1/8	765	Blue.....	K030295RB	40 3/8	1027	Blue.....	K040398RB	47	1195	Blue.....	K060465RB
30 3/4	781	Blue.....	K030300RB	40 5/8	1033	Blue.....	K040400RB	55 1/4	1404	Blue.....	K060547RB
34	864	Blue.....	K030334RB	41 1/4	1046	Blue.....	K040405RB	61 1/8	1553	Blue.....	K060605RB
9/16" (14mm) Top Width				41 5/8	1060	Blue.....	K040410RB	64 3/4	1646	Blue.....	K060642RB
27 7/8	709	Blue.....	K040274RB	42 5/8	1085	Blue.....	K040420RB	71 1/8	1806	Blue.....	K060705RB
30 3/4	781	Blue.....	K040300RB	44 3/4	1135	Blue.....	K040440RB	74 1/2	1893	Blue.....	K060739RB
31 1/4	792	Blue.....	K040305RB	48 1/8	1223	Blue.....	K040476RB	75	1904	Blue.....	K060744RB
31 5/8	804	Blue.....	K040310RB	52 1/8	1325	Blue.....	K040517RB	76 7/8	1951	Blue.....	K060763RB
32 1/4	818	Blue.....	K040315RB	55 5/8	1414	Blue.....	K040551RB	80 3/8	2040	Blue.....	K060798RB
32 7/8	836	Blue.....	K040322RB	21/32" (17mm) Top Width				83 1/8	2112	Blue.....	K060825RB
33 1/4	844	Blue.....	K040325RB	32 3/4	831	Blue.....	K050321RB	83 1/4	2115	Blue.....	K060827RB
33 3/8	849	Blue.....	K040329RB	34 3/8	872	Blue.....	K050336RB	84 1/4	2141	Blue.....	K060837RB
33 5/8	855	Blue.....	K040330RB	35	889	Blue.....	K050344RB	94	2387	Blue.....	K060935RB
33 3/4	858	Blue.....	K040332RB	35 1/4	894	Blue.....	K050345RB	98 1/8	2492	Blue.....	K060975RB
34	864	Blue.....	K040335RB	35 5/8	905	Blue.....	K050350RB	102 1/8	2593	Blue.....	K061015RB
34 5/8	881	Blue.....	K040340RB	40 5/8	1030	Blue.....	K050400RB	13/16" (20mm) Top Width			
35	889	Blue.....	K040345RB	42	1068	Blue.....	K050415RB	65 7/8	1675	Blue.....	K070653RB
35 1/4	897	Blue.....	K040347RB	42 5/8	1084	Blue.....	K050420RB	68 5/8	1743	Blue.....	K070680RB
35 7/8	911	Blue.....	K040353RB	43 1/8	1094	Blue.....	K050425RB	76 7/8	1951	Blue.....	K070763RB
36 1/8	917	Blue.....	K040355RB	51 1/8	1298	Blue.....	K050507RB	90 1/8	2289	Blue.....	K070896RB
36 5/8	932	Blue.....	K040360RB	52 1/8	1325	Blue.....	K050516RB	15/16" (24mm) Top Width			
37 1/8	942	Blue.....	K040365RB	89 1/8	2265	Blue.....	K050887RB	38 3/4	983	Blue.....	K050380RB
37 1/2	954	Blue.....	K040370RB	11/16" (17mm) Top Width				39 3/4	1008	Blue.....	K050390RB
38	964	Blue.....	K040372RB	34 3/8	873	Blue.....	K060338RB	44 1/8	1122	Blue.....	K050435RB
39	990	Blue.....	K040384RB	39 3/8	999	Blue.....	K060388RB				
39 1/8	993	Blue.....	K040385RB								
39 5/8	1008	Blue.....	K040390RB								

XL[®] Belts Listed by Number


Showing Belt Numbers with Corresponding Nominal Outside Lengths, Top Widths and Angles

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Competitive V-Belt



Our V-Belts with
"Vertical Flats"

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
7208.....	▼ 21 1/4	540	13/32	10	36°	7370.....	▼ 37 5/8	954	13/32	10	36°
7215.....	▼ 22 1/8	561	13/32	10	36°	7374.....	▼ 37 3/4	960	5/16	8	38°
7228.....	23	585	5/16	8	36°	7375.....	▼ 38 1/8	967	13/32	10	36°
7234.....	23 3/4	605	5/16	8	38°	7379.....	38 1/4	970	5/16	8	38°
7240.....	▼ 24 5/8	624	13/32	10	36°	7380.....	▼ 38 5/8	980	13/32	10	36°
7250.....	▼ 25 5/8	650	13/32	10	36°	7381.....	38 1/4	970	1/4	6	38°
7255.....	▼ 26 1/8	663	13/32	10	36°	7384.....	38 3/4	985	5/16	8	38°
7260.....	▼ 26 5/8	675	13/32	10	36°	7385.....	▼ 39 1/8	993	13/32	10	36°
7261.....	26 1/4	665	1/4	6	36°	7388.....	39 1/4	995	1/4	6	38°
7265.....	▼ 27 1/8	688	13/32	10	36°	7389.....	39 1/4	995	5/16	8	38°
7270.....	▼ 27 5/8	701	13/32	10	36°	7390.....	▼ 39 5/8	1005	13/32	10	36°
7274.....	27 1/4	690	5/16	8	38°	7395.....	▼ 40 1/8	1018	13/32	10	36°
7279.....	28 1/4	720	1/4	6	36°	7400.....	▼ 40 5/8	1031	13/32	10	36°
7280.....	▼ 28 5/8	726	13/32	10	36°	7404.....	40 3/4	1035	5/16	8	38°
7290.....	▼ 29 5/8	751	13/32	10	36°	7405.....	▼ 41 1/8	1044	13/32	10	36°
7292.....	▼ 29 7/8	758	13/32	10	36°	7409.....	41 1/4	1050	1/4	6	38°
7295.....	▼ 30 1/8	764	13/32	10	36°	7410.....	▼ 41 5/8	1056	13/32	10	36°
7298.....	30 1/4	770	1/4	6	38°	7417.....	▼ 42 1/8	1069	13/32	10	36°
7300.....	▼ 30 5/8	777	13/32	10	36°	7419.....	42 1/4	1075	5/16	8	38°
7304.....	30 3/4	780	5/16	8	36°	7420.....	▼ 42 5/8	1082	13/32	10	36°
7305.....	▼ 31 1/8	792	13/32	10	36°	7425.....	▼ 43 1/8	1095	13/32	10	36°
7309.....	31 1/4	795	1/4	6	38°	7430.....	▼ 43 5/8	1107	13/32	10	36°
7312.....	▼ 31 5/8	802	13/32	10	36°	7435.....	▼ 44 1/8	1120	13/32	10	36°
7315.....	▼ 32 1/8	815	13/32	10	36°	7440.....	▼ 44 5/8	1132	13/32	10	36°
7318.....	32 1/4	820	1/4	6	38°	7444.....	44 3/4	1135	5/16	8	38°
7320.....	▼ 32 5/8	828	13/32	10	36°	7445.....	▼ 45 1/8	1145	13/32	10	36°
7324.....	32 3/4	830	5/16	8	38°	7448.....	▼ 45 3/8	1151	13/32	10	36°
7325.....	▼ 33 1/8	840	13/32	10	36°	7449.....	45 1/4	1150	5/16	8	38°
7328.....	▼ 33 3/8	847	13/32	10	36°	7450.....	▼ 45 5/8	1158	13/32	10	36°
7329.....	33 1/4	845	1/4	6	38°	7453.....	▼ 45 7/8	1164	13/32	10	36°
7330.....	▼ 33 5/8	853	13/32	10	36°	7455.....	▼ 46 1/8	1171	13/32	10	36°
7333.....	34 1/4	870	1/4	6	38°	7459.....	46 1/4	1175	5/16	8	38°
7334.....	33 3/4	855	5/16	8	38°	7460.....	▼ 46 5/8	1183	13/32	10	36°
7335.....	▼ 34 1/8	866	13/32	10	36°	7465.....	▼ 47 1/8	1196	13/32	10	36°
7340.....	▼ 34 5/8	878	13/32	10	36°	7470.....	▼ 47 5/8	1209	13/32	10	36°
7343.....	34 1/4	870	5/16	8	38°	7473.....	▼ 47 7/8	1215	13/32	10	36°
7345.....	▼ 35 1/8	891	13/32	10	36°	7475.....	▼ 48 1/8	1221	13/32	10	36°
7348.....	35 1/4	895	1/4	6	38°	7480.....	▼ 48 5/8	1234	13/32	10	36°
7350.....	▼ 35 5/8	904	13/32	10	36°	7483.....	▼ 48 7/8	1242	13/32	10	36°
7355.....	▼ 36 1/8	919	13/32	10	36°	7485.....	▼ 49 1/8	1247	13/32	10	36°
7359.....	36 1/4	920	1/4	6	38°	7490.....	▼ 49 5/8	1260	13/32	10	36°
7360.....	▼ 36 5/8	929	13/32	10	36°	7495.....	▼ 50 1/8	1272	13/32	10	36°
7362.....	36 1/2	925	5/16	8	38°	7496.....	49 5/8	1260	5/16	8	38°
7363.....	36 3/4	935	1/4	6	38°	7500.....	▼ 50 5/8	1285	13/32	10	36°
7365.....	▼ 37 1/8	942	13/32	10	36°	7508.....	▼ 51 1/8	1297	13/32	10	36°
7369.....	37 1/4	945	5/16	8	38°	7512.....	▼ 51 5/8	1310	13/32	10	36°

▼ Indicates Notched Belt.

XL® Belts Listed by Number

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
7516.....	▼ 52 1/8	1323	13/32	10	36°	9405.....	▼ 40 7/8	1038	15/32	12	36°
7520.....	▼ 52 5/8	1336	13/32	10	36°	9412.....	▼ 41 3/8	1051	15/32	12	36°
7525.....	▼ 53 1/8	1348	13/32	10	36°	9415.....	▼ 41 7/8	1064	15/32	12	36°
7530.....	▼ 53 5/8	1361	13/32	10	36°	9420.....	▼ 42 3/8	1076	15/32	12	36°
7535.....	▼ 54 1/8	1374	13/32	10	36°	9425.....	▼ 42 7/8	1089	15/32	12	36°
7541.....	▼ 54 5/8	1386	13/32	10	36°	9430.....	▼ 43 3/8	1102	15/32	12	36°
7545.....	▼ 55 1/8	1399	13/32	10	36°	9435.....	▼ 43 7/8	1114	15/32	12	36°
7550.....	▼ 55 5/8	1412	13/32	10	36°	9440.....	▼ 44 3/8	1127	15/32	12	36°
7555.....	▼ 56 1/8	1425	13/32	10	36°	9447.....	▼ 44 7/8	1140	15/32	12	36°
7560.....	▼ 56 5/8	1437	13/32	10	36°	9451.....	▼ 45 3/8	1153	15/32	12	36°
7565.....	▼ 57 1/8	1450	13/32	10	36°	9455.....	▼ 45 7/8	1165	15/32	12	36°
7570.....	▼ 57 5/8	1463	13/32	10	36°	9463.....	▼ 46 3/8	1178	15/32	12	36°
7575.....	▼ 58 1/8	1475	13/32	10	36°	9465.....	▼ 46 7/8	1191	15/32	12	36°
7580.....	▼ 58 5/8	1488	13/32	10	36°	9470.....	▼ 47 3/8	1203	15/32	12	36°
7585.....	▼ 59 1/8	1501	13/32	10	36°	9476.....	▼ 47 7/8	1216	15/32	12	36°
7590.....	▼ 59 5/8	1513	13/32	10	36°	9480.....	▼ 48 3/8	1229	15/32	12	36°
7597.....	▼ 60 1/8	1526	13/32	10	36°	9485.....	▼ 48 7/8	1241	15/32	12	36°
7603.....	▼ 60 5/8	1539	13/32	10	36°	9490.....	▼ 49 3/8	1254	15/32	12	36°
7612.....	▼ 61 5/8	1564	13/32	10	36°	9492M.....	▼ 49 5/8	1259	19/32	15	40°
7619.....	▼ 62 5/8	1590	13/32	10	36°	9495.....	▼ 49 7/8	1267	15/32	12	36°
7625.....	▼ 63 1/8	1602	13/32	10	36°	9500.....	▼ 50 3/8	1280	15/32	12	36°
7630.....	▼ 63 5/8	1615	13/32	10	36°	9505.....	▼ 50 7/8	1292	15/32	12	36°
7640.....	▼ 64 5/8	1640	13/32	10	36°	9510.....	▼ 51 3/8	1305	15/32	12	36°
7650.....	▼ 65 5/8	1666	13/32	10	36°	9520.....	▼ 52 3/8	1330	15/32	12	36°
7660.....	▼ 66 5/8	1691	13/32	10	36°	9525.....	▼ 52 7/8	1343	15/32	12	36°
7665.....	▼ 67 1/8	1704	13/32	10	36°	9530.....	▼ 53 3/8	1356	15/32	12	36°
7673.....	▼ 67 5/8	1717	13/32	10	36°	9540.....	▼ 54 3/8	1381	15/32	12	36°
7680.....	▼ 68 5/8	1742	13/32	10	36°	9545.....	▼ 54 7/8	1394	15/32	12	36°
7695.....	▼ 70 1/8	1780	13/32	10	36°	9550.....	▼ 55 3/8	1407	15/32	12	36°
7715.....	▼ 72 1/8	1831	13/32	10	36°	9551M.....	▼ 55 1/2	1411	17/32	13	40°
7730.....	▼ 73 5/8	1869	13/32	10	36°	9555.....	▼ 55 7/8	1418	15/32	12	36°
7743.....	▼ 74 5/8	1894	13/32	10	36°	9560.....	▼ 56 3/8	1432	15/32	12	36°
7760.....	▼ 76 5/8	1945	13/32	10	36°	9565.....	▼ 56 7/8	1445	15/32	12	36°
7775.....	▼ 78 1/8	1983	13/32	10	36°	9570.....	▼ 57 3/8	1457	15/32	12	36°
9245.....	▼ 24 7/8	632	15/32	12	36°	9580.....	▼ 58 3/8	1483	15/32	12	36°
9255.....	▼ 25 7/8	657	15/32	12	36°	9585.....	▼ 58 7/8	1495	15/32	12	36°
9260.....	▼ 26 3/8	670	15/32	12	36°	9590.....	▼ 59 3/8	1508	15/32	12	36°
9265.....	▼ 26 7/8	683	15/32	12	36°	9600.....	▼ 60 3/8	1534	15/32	12	36°
9270.....	▼ 27 3/8	695	15/32	12	36°	9605.....	▼ 60 7/8	1546	15/32	12	36°
9279.....	▼ 28 1/4	718	15/32	12	36°	9610.....	▼ 61 3/8	1559	15/32	12	36°
9290.....	▼ 29 3/8	746	15/32	12	36°	9620.....	▼ 62 3/8	1584	15/32	12	36°
9295.....	▼ 29 7/8	759	15/32	12	36°	9625.....	▼ 62 7/8	1597	15/32	12	36°
9300.....	▼ 30 3/8	772	15/32	12	36°	9630.....	▼ 63 3/8	1610	15/32	12	36°
9305.....	▼ 30 7/8	784	15/32	12	36°	9635.....	▼ 63 7/8	1622	15/32	12	36°
9309.....	▼ 31 3/8	797	15/32	12	36°	9640.....	▼ 64 3/8	1635	15/32	12	36°
9313.....	▼ 31 7/8	809	15/32	12	36°	9650.....	▼ 65 3/8	1661	15/32	12	36°
9319.....	▼ 32 3/8	822	15/32	12	36°	9660.....	▼ 66 3/8	1686	15/32	12	36°
9325.....	▼ 32 7/8	835	15/32	12	36°	9670.....	▼ 67 3/8	1711	15/32	12	36°
9330.....	▼ 33 3/8	848	15/32	12	36°	9680.....	▼ 68 3/8	1737	15/32	12	36°
9335.....	▼ 33 7/8	860	15/32	12	36°	9690.....	▼ 69 3/8	1762	15/32	12	36°
9341.....	▼ 34 3/8	873	15/32	12	36°	9700.....	▼ 70 3/8	1788	15/32	12	36°
9345.....	▼ 34 7/8	886	15/32	12	36°	9710.....	▼ 71 3/8	1813	15/32	12	36°
9350.....	▼ 35 3/8	899	15/32	12	36°	9720.....	▼ 72 3/8	1838	15/32	12	36°
9355.....	▼ 35 7/8	911	15/32	12	36°	9730.....	▼ 73 3/8	1864	15/32	12	36°
9360.....	▼ 36 3/8	924	15/32	12	36°	9740.....	▼ 74 3/8	1889	15/32	12	36°
9361M.....	▼ 36 1/2	928	19/32	15	40°	9745.....	▼ 74 7/8	1902	15/32	12	36°
9365.....	▼ 36 7/8	937	15/32	12	36°	9755.....	▼ 75 7/8	1927	15/32	12	36°
9370.....	▼ 37 3/8	949	15/32	12	36°	9765.....	▼ 76 7/8	1953	15/32	12	36°
9375.....	▼ 37 7/8	962	15/32	12	36°	9770.....	▼ 77 3/8	1965	15/32	12	36°
9378.....	▼ 38 1/8	968	15/32	12	36°	9775.....	▼ 77 7/8	1978	15/32	12	36°
9380.....	▼ 38 3/8	975	15/32	12	36°	9810.....	▼ 81 3/8	2067	15/32	12	36°
9385.....	▼ 38 7/8	987	15/32	12	36°	9820.....	▼ 82 3/8	2092	15/32	12	36°
9390.....	▼ 39 3/8	1000	15/32	12	36°	9830.....	▼ 83 3/8	2118	15/32	12	36°
9395.....	▼ 39 7/8	1013	15/32	12	36°	9840.....	▼ 84 3/8	2143	15/32	12	36°
9400.....	▼ 40 3/8	1026	15/32	12	36°	9850.....	▼ 85 3/8	2169	15/32	12	36°
9403.....	▼ 40 5/8	1032	15/32	12	36°						

▼ Indicates Notched Belt.

XL[®] Belts

Listed by Width and Length


Showing Nominal Belt Top Widths, Outside Lengths and Angles with Our Corresponding Belt Numbers

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Competitive V-Belt



Our V-Belts with "Vertical Flats"

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
21 1/4	540	36°	▼ 7208	13/32" (10mm) Top Width (HC41)				15/32" (12mm) Top Width (HC50)			
22 1/8	561	36°	▼ 7215	- Continued				- Continued			
23	585	36°	▼ 7228	37 5/8	954	36°	▼ 7370	49 5/8	1260	38°	▼ 7496
23 3/4	605	38°	▼ 7234	37 3/4	960	38°	▼ 7374	50 5/8	1285	36°	▼ 7500
24 5/8	624	36°	▼ 7240	38 1/8	967	36°	▼ 7375	51 1/8	1297	36°	▼ 7508
25 5/8	650	36°	▼ 7250	38 1/4	970	38°	▼ 7379	51 5/8	1310	36°	▼ 7512
26 1/8	663	36°	▼ 7255	38 5/8	980	36°	▼ 7380	52 1/8	1323	36°	▼ 7516
26 5/8	675	36°	▼ 7260	38 1/4	970	38°	▼ 7381	52 5/8	1336	36°	▼ 7520
26 1/4	665	36°	▼ 7261	38 3/4	985	38°	▼ 7384	53 1/8	1348	36°	▼ 7525
27 1/8	688	36°	▼ 7265	39 1/8	993	36°	▼ 7385	53 5/8	1361	36°	▼ 7530
27 5/8	701	36°	▼ 7270	39 1/4	995	38°	▼ 7388	54 1/8	1374	36°	▼ 7535
27 1/4	690	38°	▼ 7274	39 1/4	995	38°	▼ 7389	54 5/8	1386	36°	▼ 7541
28 1/4	720	36°	▼ 7279	39 5/8	1005	36°	▼ 7390	55 1/8	1399	36°	▼ 7545
28 5/8	726	36°	▼ 7280	40 1/8	1018	36°	▼ 7395	55 5/8	1412	36°	▼ 7550
29 5/8	751	36°	▼ 7290	40 5/8	1031	36°	▼ 7400	56 1/8	1425	36°	▼ 7555
29 7/8	758	36°	▼ 7292	40 3/4	1035	38°	▼ 7404	56 5/8	1437	36°	▼ 7560
30 1/8	764	36°	▼ 7295	41 1/8	1044	36°	▼ 7405	57 1/8	1450	36°	▼ 7565
30 1/4	770	38°	▼ 7298	41 1/4	1050	38°	▼ 7409	57 5/8	1463	36°	▼ 7570
30 5/8	777	36°	▼ 7300	41 5/8	1056	36°	▼ 7410	58 1/8	1475	36°	▼ 7575
30 3/4	780	36°	▼ 7304	42 1/8	1069	36°	▼ 7417	58 5/8	1488	36°	▼ 7580
31 1/8	792	36°	▼ 7305	42 1/4	1075	38°	▼ 7419	59 1/8	1501	36°	▼ 7585
31 1/4	795	38°	▼ 7309	42 5/8	1082	36°	▼ 7420	59 5/8	1513	36°	▼ 7590
31 5/8	802	36°	▼ 7312	43 1/8	1095	36°	▼ 7425	60 1/8	1526	36°	▼ 7597
32 1/8	815	36°	▼ 7315	43 5/8	1107	36°	▼ 7430	60 5/8	1539	36°	▼ 7603
32 1/4	820	38°	▼ 7318	44 1/8	1120	36°	▼ 7435	61 5/8	1564	36°	▼ 7612
32 5/8	828	36°	▼ 7320	44 5/8	1132	36°	▼ 7440	62 5/8	1590	36°	▼ 7619
32 3/4	830	38°	▼ 7324	44 3/4	1135	38°	▼ 7444	63 1/8	1602	36°	▼ 7625
33 1/8	840	36°	▼ 7325	45 1/8	1145	36°	▼ 7445	63 5/8	1615	36°	▼ 7630
33 3/8	847	36°	▼ 7328	45 3/8	1151	36°	▼ 7448	64 5/8	1640	36°	▼ 7640
33 1/4	845	38°	▼ 7329	45 1/4	1150	38°	▼ 7449	65 5/8	1666	36°	▼ 7650
33 5/8	853	36°	▼ 7330	45 5/8	1158	36°	▼ 7450	66 5/8	1691	36°	▼ 7660
34 1/4	870	38°	▼ 7333	45 7/8	1164	36°	▼ 7453	67 1/8	1704	36°	▼ 7665
33 3/4	855	38°	▼ 7334	46 1/8	1171	36°	▼ 7455	67 5/8	1717	36°	▼ 7673
34 1/8	866	36°	▼ 7335	46 1/4	1175	38°	▼ 7459	68 5/8	1742	36°	▼ 7680
34 5/8	878	36°	▼ 7340	46 5/8	1183	36°	▼ 7460	70 1/8	1780	36°	▼ 7695
34 1/4	870	38°	▼ 7343	47 1/8	1196	36°	▼ 7465	72 1/8	1831	36°	▼ 7715
35 1/8	891	36°	▼ 7345	47 5/8	1209	36°	▼ 7470	73 5/8	1869	36°	▼ 7730
35 1/4	895	38°	▼ 7348	47 7/8	1215	36°	▼ 7473	74 5/8	1894	36°	▼ 7743
35 5/8	904	36°	▼ 7350	48 1/8	1221	36°	▼ 7475	76 5/8	1945	36°	▼ 7760
36 1/8	919	36°	▼ 7355	48 5/8	1234	36°	▼ 7480	78 1/8	1983	36°	▼ 7775
36 1/4	920	38°	▼ 7359	48 7/8	1242	36°	▼ 7483	24 7/8	632	36°	▼ 9245
36 5/8	929	36°	▼ 7360	49 1/8	1247	36°	▼ 7485	25 7/8	657	36°	▼ 9255
36 1/2	925	38°	▼ 7362	49 5/8	1260	36°	▼ 7490	26 3/8	670	36°	▼ 9260
36 3/4	935	38°	▼ 7363	50 1/8	1272	36°	▼ 7495	26 7/8	683	36°	▼ 9265
37 1/8	942	36°	▼ 7365								
37 1/4	945	38°	▼ 7369								

▼ Indicates Notched Belt

XL® Belts Listed by Width and Length

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
15/32" (12mm) Top Width (HC50) - Continued				15/32" (12mm) Top Width (HC50) - Continued				15/32" (12mm) Top Width (HC50) - Continued			
27 3/8	695	36°	▼ 9270	43 7/8	1114	36°	▼ 9435	62 7/8	1597	36°	▼ 9625
28 1/4	718	36°	▼ 9279	44 3/8	1127	36°	▼ 9440	63 3/8	1610	36°	▼ 9630
29 3/8	746	36°	▼ 9290	44 7/8	1140	36°	▼ 9447	63 7/8	1622	36°	▼ 9635
29 7/8	759	36°	▼ 9295	45 3/8	1153	36°	▼ 9451	64 3/8	1635	36°	▼ 9640
30 3/8	772	36°	▼ 9300	45 7/8	1165	36°	▼ 9455	65 3/8	1661	36°	▼ 9650
30 7/8	784	36°	▼ 9305	46 3/8	1178	36°	▼ 9463	66 3/8	1686	36°	▼ 9660
31 3/8	797	36°	▼ 9309	46 7/8	1191	36°	▼ 9465	67 3/8	1711	36°	▼ 9670
31 7/8	809	36°	▼ 9313	47 3/8	1203	36°	▼ 9470	68 3/8	1737	36°	▼ 9680
32 3/8	822	36°	▼ 9319	47 7/8	1216	36°	▼ 9476	69 3/8	1762	36°	▼ 9690
32 7/8	835	36°	▼ 9325	48 3/8	1229	36°	▼ 9480	70 3/8	1788	36°	▼ 9700
33 3/8	848	36°	▼ 9330	48 7/8	1241	36°	▼ 9485	71 3/8	1813	36°	▼ 9710
33 7/8	860	36°	▼ 9335	49 3/8	1254	36°	▼ 9490	72 3/8	1838	36°	▼ 9720
34 3/8	873	36°	▼ 9341	49 7/8	1267	36°	▼ 9495	73 3/8	1864	36°	▼ 9730
34 7/8	886	36°	▼ 9345	50 3/8	1280	36°	▼ 9500	74 3/8	1889	36°	▼ 9740
35 3/8	899	36°	▼ 9350	50 7/8	1292	36°	▼ 9505	74 7/8	1902	36°	▼ 9745
35 7/8	911	36°	▼ 9355	51 3/8	1305	36°	▼ 9510	75 7/8	1927	36°	▼ 9755
36 3/8	924	36°	▼ 9360	52 3/8	1330	36°	▼ 9520	76 7/8	1953	36°	▼ 9765
36 7/8	937	36°	▼ 9365	52 7/8	1343	36°	▼ 9525	77 3/8	1965	36°	▼ 9770
37 3/8	949	36°	▼ 9370	53 3/8	1356	36°	▼ 9530	77 7/8	1978	36°	▼ 9775
37 7/8	962	36°	▼ 9375	54 3/8	1381	36°	▼ 9540	81 3/8	2067	36°	▼ 9810
38 1/8	968	36°	▼ 9378	54 7/8	1394	36°	▼ 9545	82 3/8	2092	36°	▼ 9820
38 3/8	975	36°	▼ 9380	55 3/8	1407	36°	▼ 9550	83 3/8	2118	36°	▼ 9830
38 7/8	987	36°	▼ 9385	55 7/8	1418	36°	▼ 9555	84 3/8	2143	36°	▼ 9840
39 3/8	1000	36°	▼ 9390	56 3/8	1432	36°	▼ 9560	85 3/8	2169	36°	▼ 9850
39 7/8	1013	36°	▼ 9395	56 7/8	1445	36°	▼ 9565	17/32" (13mm) Top Width			
40 3/8	1026	36°	▼ 9400	57 3/8	1457	36°	▼ 9570	55 1/2	1411	40°	▼ 9551M
40 5/8	1032	36°	▼ 9403	58 3/8	1483	36°	▼ 9580	19/32" (15mm) Top Width			
40 7/8	1038	36°	▼ 9405	58 7/8	1495	36°	▼ 9585	36 1/2	928	40°	▼ 9361M
41 3/8	1051	36°	▼ 9412	59 3/8	1508	36°	▼ 9590	49 5/8	1259	40°	▼ 9492M
41 7/8	1064	36°	▼ 9415	60 3/8	1534	36°	▼ 9600				
42 3/8	1076	36°	▼ 9420	60 7/8	1546	36°	▼ 9605				
42 7/8	1089	36°	▼ 9425	61 3/8	1559	36°	▼ 9610				
43 3/8	1102	36°	▼ 9430	62 3/8	1584	36°	▼ 9620				

▼ Indicates Notched Belt

FleetRunner® Micro-V® Belts

Listed by Number

Showing Belt Numbers with Corresponding
Nominal Outside Lengths, Top Widths and Angles

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
K040378HD.....	38 1/2	977	9/16	14	40°	K060806HD.....	81 1/8	2061	13/16	20	40°
K040388HD.....	39 3/8	999	9/16	14	40°	K060832HD.....	83 3/4	2127	13/16	20	40°
K040425HD.....	43 1/8	1095	9/16	14	40°	K060846HD.....	85 1/4	2164	13/16	20	40°
K040430HD.....	43 3/4	1111	9/16	14	40°	K060849HD.....	85 1/2	2171	13/16	20	40°
K040445HD.....	45 1/4	1150	9/16	14	40°	K060858HD.....	86 3/8	2193	13/16	20	40°
K040745HD.....	75 1/8	1905	9/16	14	40°	K060860HD.....	86 5/8	2201	13/16	20	40°
K040762HD.....	76 7/8	1952	9/16	14	40°	K060870HD.....	87 5/8	2225	13/16	20	40°
K050323HD.....	33	837	21/32	17	40°	K060875HD.....	88 1/8	2238	13/16	20	40°
K050336HD.....	34 3/8	872	21/32	17	40°	K060905HD.....	90 7/8	2308	13/16	20	40°
K050340HD.....	34 5/8	881	21/32	17	40°	K060908HD.....	91 1/4	2319	13/16	20	40°
K050345HD.....	35 1/4	894	21/32	17	40°	K060910HD.....	91 5/8	2329	13/16	20	40°
K050350HD.....	35 5/8	906	21/32	17	40°	K060923HD.....	92 7/8	2360	13/16	20	40°
K050360HD.....	36 3/4	932	21/32	17	40°	K060930HD.....	93 5/8	2377	13/16	20	40°
K050375HD.....	38 1/4	971	21/32	17	40°	K060935HD.....	94	2387	13/16	20	40°
K050380HD.....	38 3/4	983	21/32	17	40°	K060988HD.....	99 1/2	2526	13/16	20	40°
K050420HD.....	42 5/8	1084	21/32	17	40°	K060990HD.....	99 5/8	2531	13/16	20	40°
K060337HD.....	34 1/4	871	13/16	20	40°	K060994HD.....	99 7/8	2537	13/16	20	40°
K060340HD.....	34 3/4	881	13/16	20	40°	K060997HD.....	100 1/4	2546	13/16	20	40°
K060390HD.....	39 3/4	1008	13/16	20	40°	K061000HD.....	100 5/8	2555	13/16	20	40°
K060393HD.....	39 7/8	1012	13/16	20	40°	K061005HD.....	101 1/8	2568	13/16	20	40°
K060400HD.....	40 3/4	1034	13/16	20	40°	K061010HD.....	101 5/8	2581	13/16	20	40°
K060408HD.....	41 1/2	1054	13/16	20	40°	K061015HD.....	102 1/8	2593	13/16	20	40°
K060415HD.....	42 1/8	1069	13/16	20	40°	K061020HD.....	102 5/8	2605	13/16	20	40°
K060425HD.....	43 1/8	1095	13/16	20	40°	K061058HD.....	106 3/8	2701	13/16	20	40°
K060435HD.....	44 1/8	1122	13/16	20	40°	K061080HD.....	108 3/4	2761	13/16	20	40°
K060439HD.....	44 1/2	1129	13/16	20	40°	K061140HD.....	114 1/2	2910	13/16	20	40°
K060455HD.....	46	1170	13/16	20	40°	K061187HD.....	119 1/4	3030	13/16	20	40°
K060458HD.....	46 3/8	1179	13/16	20	40°	K061195HD.....	120 1/8	3051	13/16	20	40°
K060470HD.....	47 5/8	1211	13/16	20	40°	K061360HD.....	136 1/2	3467	13/16	20	40°
K060478HD.....	48 1/4	1227	13/16	20	40°	K070404HD.....	41	1042	15/16	24	40°
K060480HD.....	48 5/8	1237	13/16	20	40°	K070553HD.....	55 7/8	1418	15/16	24	40°
K060483HD.....	48 7/8	1241	13/16	20	40°	K070640HD.....	64 5/8	1642	15/16	24	40°
K060490HD.....	49 1/2	1258	13/16	20	40°	K070673HD.....	67 3/4	1722	15/16	24	40°
K060495HD.....	50 1/8	1274	13/16	20	40°	K070677HD.....	68 1/4	1734	15/16	24	40°
K060500HD.....	50 3/4	1288	13/16	20	40°	K070705HD.....	71 1/8	1807	15/16	24	40°
K060509HD.....	51 1/2	1309	13/16	20	40°	K070709HD.....	71 1/2	1816	15/16	24	40°
K060516HD.....	52 1/8	1325	13/16	20	40°	K070733HD.....	73 3/4	1874	15/16	24	40°
K060520HD.....	52 3/4	1339	13/16	20	40°	K070735HD.....	74 1/8	1883	15/16	24	40°
K060523HD.....	52 7/8	1342	13/16	20	40°	K070786HD.....	79 1/8	2011	15/16	24	40°
K060525HD.....	53 3/8	1355	13/16	20	40°	K070801HD.....	80 3/4	2050	15/16	24	40°
K060529HD.....	53 1/2	1359	13/16	20	40°	K070805HD.....	81 1/8	2061	15/16	24	40°
K060532HD.....	53 7/8	1367	13/16	20	40°	K070825HD.....	83 1/8	2112	15/16	24	40°
K060539HD.....	54 1/2	1385	13/16	20	40°	K070835HD.....	84	2134	15/16	24	40°
K060547HD.....	55 1/4	1404	13/16	20	40°	K071056HD.....	106 1/4	2699	15/16	24	40°
K060555HD.....	56	1423	13/16	20	40°	K071247HD.....	125 3/8	3183	15/16	24	40°
K060557HD.....	56 1/4	1429	13/16	20	40°	K080330HD.....	33 3/4	856	1 3/32	28	40°
K060559HD.....	56 1/2	1436	13/16	20	40°	K080375HD.....	38 1/8	968	1 3/32	28	40°
K060560HD.....	56 5/8	1439	13/16	20	40°	K080382HD.....	38 3/4	983	1 3/32	28	40°
K060568HD.....	57 3/8	1459	13/16	20	40°	K080384HD.....	39	990	1 3/32	28	40°
K060569HD.....	57 1/2	1462	13/16	20	40°	K080385HD.....	39 1/8	992	1 3/32	28	40°
K060575HD.....	58	1473	13/16	20	40°	K080400HD.....	40 3/4	1034	1 3/32	28	40°
K060578HD.....	58 3/8	1483	13/16	20	40°	K080415HD.....	42 1/8	1069	1 3/32	28	40°
K060586HD.....	59 1/4	1504	13/16	20	40°	K080427HD.....	43 1/2	1103	1 3/32	28	40°
K060594HD.....	60	1523	13/16	20	40°	K080433HD.....	43 7/8	1115	1 3/32	28	40°
K060598HD.....	60 3/8	1534	13/16	20	40°	K080435HD.....	44 1/8	1122	1 3/32	28	40°
K060605HD.....	61 1/8	1553	13/16	20	40°	K080450HD.....	45 5/8	1160	1 3/32	28	40°
K060615HD.....	62 1/8	1577	13/16	20	40°	K080465HD.....	47	1195	1 3/32	28	40°
K060625HD.....	63 1/8	1603	13/16	20	40°	K080468HD.....	47 3/8	1203	1 3/32	28	40°
K060635HD.....	64 1/8	1627	13/16	20	40°	K080471HD.....	47 3/4	1211	1 3/32	28	40°
K060637HD.....	64 3/8	1634	13/16	20	40°	K080485HD.....	49 1/8	1249	1 3/32	28	40°
K060653HD.....	65 7/8	1674	13/16	20	40°	K080496HD.....	50 1/8	1274	1 3/32	28	40°
K060658HD.....	66 3/8	1687	13/16	20	40°	K080505HD.....	51	1297	1 3/32	28	40°
K060660HD.....	66 3/4	1696	13/16	20	40°	K080510HD.....	51 1/2	1309	1 3/32	28	40°
K060670HD.....	67 1/2	1716	13/16	20	40°	K080514HD.....	52	1320	1 3/32	28	40°
K060672HD.....	67 3/4	1722	13/16	20	40°	K080525HD.....	53 1/8	1351	1 3/32	28	40°
K060675HD.....	68	1728	13/16	20	40°	K080530HD.....	53 1/2	1359	1 3/32	28	40°
K060680HD.....	68 5/8	1742	13/16	20	40°	K080537HD.....	54 1/4	1379	1 3/32	28	40°
K060685HD.....	69 1/8	1756	13/16	20	40°	K080545HD.....	55 1/8	1399	1 3/32	28	40°
K060690HD.....	69 5/8	1767	13/16	20	40°	K080550HD.....	55 3/4	1415	1 3/32	28	40°
K060716HD.....	72	1830	13/16	20	40°	K080560HD.....	56 5/8	1439	1 3/32	28	40°
K060723HD.....	72 7/8	1851	13/16	20	40°	K080565HD.....	57	1448	1 3/32	28	40°
K060735HD.....	74 1/8	1881	13/16	20	40°	K080566HD.....	57 1/8	1452	1 3/32	28	40°
K060736HD.....	74 1/8	1882	13/16	20	40°	K080570HD.....	57 1/2	1462	1 3/32	28	40°
K060739HD.....	74 1/2	1893	13/16	20	40°	K080575HD.....	58 1/8	1475	1 3/32	28	40°
K060747HD.....	75 3/8	1914	13/16	20	40°	K080580HD.....	58 5/8	1490	1 3/32	28	40°
K060795HD.....	80 1/8	2034	13/16	20	40°	K080585HD.....	59	1499	1 3/32	28	40°

FleetRunner® Micro-V® Belts Listed by Number

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
K080590HD	59 1/2	1512	1 3/32	28	40°	K081000HD	100 5/8	2555	1 3/32	28	40°
K080594HD	60	1523	1 3/32	28	40°	K081005HD	101 1/8	2568	1 3/32	28	40°
K080600HD	60 5/8	1538	1 3/32	28	40°	K081020HD	102 5/8	2605	1 3/32	28	40°
K080605HD	61 1/8	1553	1 3/32	28	40°	K081023HD	102 7/8	2613	1 3/32	28	40°
K080610HD	61 3/4	1569	1 3/32	28	40°	K081035HD	104	2642	1 3/32	28	40°
K080615HD	62 1/8	1577	1 3/32	28	40°	K081044HD	105	2666	1 3/32	28	40°
K080620HD	62 5/8	1591	1 3/32	28	40°	K081055HD	106 1/8	2694	1 3/32	28	40°
K080623HD	62 7/8	1598	1 3/32	28	40°	K081065HD	107 1/8	2720	1 3/32	28	40°
K080626HD	63 1/8	1603	1 3/32	28	40°	K081074HD	108	2745	1 3/32	28	40°
K080630HD	63 5/8	1616	1 3/32	28	40°	K081079HD	108 1/2	2756	1 3/32	28	40°
K080638HD	64 3/8	1634	1 3/32	28	40°	K081088HD	109 3/8	2778	1 3/32	28	40°
K080645HD	65 1/4	1657	1 3/32	28	40°	K081092HD	109 3/4	2788	1 3/32	28	40°
K080649HD	65 1/2	1665	1 3/32	28	40°	K081099HD	110 1/2	2807	1 3/32	28	40°
K080653HD	65 7/8	1674	1 3/32	28	40°	K081102HD	110 3/4	2814	1 3/32	28	40°
K080660HD	66 1/2	1691	1 3/32	28	40°	K081124HD	113	2869	1 3/32	28	40°
K080670HD	67 1/2	1716	1 3/32	28	40°	K081153HD	116 1/4	2953	1 3/32	28	40°
K080672HD	67 3/4	1722	1 3/32	28	40°	K081177HD	118 1/4	3005	1 3/32	28	40°
K080675HD	68	1728	1 3/32	28	40°	K081189HD	119 1/2	3034	1 3/32	28	40°
K080677HD	68 1/4	1734	1 3/32	28	40°	K081196HD	120 1/8	3050	1 3/32	28	40°
K080680HD	68 5/8	1742	1 3/32	28	40°	K081207HD	121 3/8	3082	1 3/32	28	40°
K080683HD	68 7/8	1750	1 3/32	28	40°	K081213HD	121 7/8	3096	1 3/32	28	40°
K080685HD	69 1/8	1756	1 3/32	28	40°	K081223HD	122 3/4	3117	1 3/32	28	40°
K080690HD	69 5/8	1767	1 3/32	28	40°	K081264HD	127	3227	1 3/32	28	40°
K080694HD	70	1777	1 3/32	28	40°	K081265HD	127 1/8	3228	1 3/32	28	40°
K080700HD	70 1/2	1789	1 3/32	28	40°	K081298HD	130 3/8	3312	1 3/32	28	40°
K080702HD	70 3/4	1798	1 3/32	28	40°	K081325HD	133 1/8	3381	1 3/32	28	40°
K080708HD	71 1/4	1811	1 3/32	28	40°	K081331HD	133 3/4	3396	1 3/32	28	40°
K080710HD	71 1/2	1816	1 3/32	28	40°	K081359HD	136 1/2	3468	1 3/32	28	40°
K080716HD	72 1/8	1831	1 3/32	28	40°	K081362HD	136 3/4	3474	1 3/32	28	40°
K080718HD	72 3/8	1839	1 3/32	28	40°	K081377HD	138 1/4	3513	1 3/32	28	40°
K080720HD	72 5/8	1845	1 3/32	28	40°	K090500HD	50 1/2	1282	1 7/32	31	40°
K080726HD	73 1/4	1859	1 3/32	28	40°	K090609HD	61 1/2	1562	1 7/32	31	40°
K080730HD	73 1/2	1867	1 3/32	28	40°	K100381HD	38 3/4	983	1 3/8	35	40°
K080733HD	73 3/4	1874	1 3/32	28	40°	K100437HD	44 1/4	1124	1 3/8	35	40°
K080734HD	74	1880	1 3/32	28	40°	K100456HD	46 1/8	1173	1 3/8	35	40°
K080738HD	74 3/8	1889	1 3/32	28	40°	K100465HD	47	1195	1 3/8	35	40°
K080740HD	74 5/8	1896	1 3/32	28	40°	K100485HD	48 7/8	1241	1 3/8	35	40°
K080745HD	75 1/8	1907	1 3/32	28	40°	K100495HD	50 1/8	1274	1 3/8	35	40°
K080751HD	75 5/8	1921	1 3/32	28	40°	K100502HD	50 3/4	1288	1 3/8	35	40°
K080755HD	76	1931	1 3/32	28	40°	K100510HD	51 1/2	1309	1 3/8	35	40°
K080760HD	76 1/2	1942	1 3/32	28	40°	K100535HD	54	1373	1 3/8	35	40°
K080765HD	77	1957	1 3/32	28	40°	K100540HD	54 1/2	1385	1 3/8	35	40°
K080774HD	77 3/4	1976	1 3/32	28	40°	K100554HD	56	1423	1 3/8	35	40°
K080776HD	78 1/8	1985	1 3/32	28	40°	K100563HD	56 7/8	1444	1 3/8	35	40°
K080780HD	78 5/8	1996	1 3/32	28	40°	K100564HD	57	1448	1 3/8	35	40°
K080785HD	79	2007	1 3/32	28	40°	K100570HD	57 1/2	1462	1 3/8	35	40°
K080790HD	79 1/2	2019	1 3/32	28	40°	K100572HD	57 7/8	1469	1 3/8	35	40°
K080794HD	80	2032	1 3/32	28	40°	K100575HD	58 1/8	1475	1 3/8	35	40°
K080797HD	80 1/8	2037	1 3/32	28	40°	K100578HD	58 3/8	1482	1 3/8	35	40°
K080801HD	80 3/4	2050	1 3/32	28	40°	K100579HD	58 1/2	1487	1 3/8	35	40°
K080806HD	81 1/8	2061	1 3/32	28	40°	K100582HD	58 3/4	1492	1 3/8	35	40°
K080810HD	81 5/8	2073	1 3/32	28	40°	K100594HD	60	1523	1 3/8	35	40°
K080816HD	82 1/8	2086	1 3/32	28	40°	K100600HD	60 1/2	1538	1 3/8	35	40°
K080817HD	82 3/8	2091	1 3/32	28	40°	K100607HD	61 1/4	1557	1 3/8	35	40°
K080820HD	82 3/4	2101	1 3/32	28	40°	K100610HD	61 5/8	1564	1 3/8	35	40°
K080825HD	83 1/8	2112	1 3/32	28	40°	K100615HD	62	1576	1 3/8	35	40°
K080830HD	83 3/4	2127	1 3/32	28	40°	K100618HD	63 3/4	1619	1 3/8	35	40°
K080839HD	84 3/8	2144	1 3/32	28	40°	K100630HD	63 5/8	1616	1 3/8	35	40°
K080842HD	84 3/4	2154	1 3/32	28	40°	K100637HD	64 1/4	1633	1 3/8	35	40°
K080845HD	85 1/8	2161	1 3/32	28	40°	K100640HD	64 5/8	1642	1 3/8	35	40°
K080850HD	85 3/8	2175	1 3/32	28	40°	K100649HD	65 1/2	1664	1 3/8	35	40°
K080855HD	86 1/8	2187	1 3/32	28	40°	K100655HD	66	1678	1 3/8	35	40°
K080859HD	86 3/8	2195	1 3/32	28	40°	K100658HD	66 3/8	1687	1 3/8	35	40°
K080860HD	86 5/8	2200	1 3/32	28	40°	K100661HD	66 3/4	1694	1 3/8	35	40°
K080865HD	87 1/8	2212	1 3/32	28	40°	K100665HD	67 1/8	1704	1 3/8	35	40°
K080868HD	87 3/8	2219	1 3/32	28	40°	K100670HD	67 1/2	1716	1 3/8	35	40°
K080872HD	87 3/4	2230	1 3/32	28	40°	K100675HD	68	1728	1 3/8	35	40°
K080876HD	88 1/8	2240	1 3/32	28	40°	K100677HD	68 1/4	1734	1 3/8	35	40°
K080878HD	88 3/8	2245	1 3/32	28	40°	K100686HD	69 1/4	1758	1 3/8	35	40°
K080885HD	89 1/8	2263	1 3/32	28	40°	K100710HD	71 1/2	1816	1 3/8	35	40°
K080889HD	89 1/2	2272	1 3/32	28	40°	K100719HD	72 3/8	1840	1 3/8	35	40°
K080893HD	89 7/8	2282	1 3/32	28	40°	K100720HD	72 5/8	1845	1 3/8	35	40°
K080897HD	90 3/8	2295	1 3/32	28	40°	K100726HD	73 1/8	1859	1 3/8	35	40°
K080903HD	90 7/8	2308	1 3/32	28	40°	K100731HD	73 5/8	1871	1 3/8	35	40°
K080910HD	91 5/8	2326	1 3/32	28	40°	K100739HD	74 1/2	1893	1 3/8	35	40°
K080915HD	92 1/8	2340	1 3/32	28	40°	K100745HD	75 1/8	1907	1 3/8	35	40°
K080922HD	92 3/4	2355	1 3/32	28	40°	K100764HD	77	1957	1 3/8	35	40°
K080926HD	93 1/8	2367	1 3/32	28	40°	K100771HD	77 3/4	1976	1 3/8	35	40°
K080931HD	93 5/8	2379	1 3/32	28	40°	K100789HD	79 1/2	2019	1 3/8	35	40°
K080934HD	93 7/8	2384	1 3/32	28	40°	K100810HD	81 5/8	2073	1 3/8	35	40°
K080939HD	94 1/2	2400	1 3/32	28	40°	K100830HD	83 5/8	2124	1 3/8	35	40°
K080944HD	95	2412	1 3/32	28	40°	K100852HD	85 7/8	2182	1 3/8	35	40°
K080952HD	95 3/4	2432	1 3/32	28	40°	K100860HD	86 5/8	2200	1 3/8	35	40°
K080956HD	96 1/4	2444	1 3/32	28	40°	K100879HD	88 1/2	2247	1 3/8	35	40°
K080964HD	97	2465	1 3/32	28	40°	K100891HD	89 3/4	2278	1 3/8	35	40°
K080968HD	97 1/2	2475	1 3/32	28	40°	K100894HD	90	2285	1 3/8	35	40°
K080986HD	99 1/8	2519	1 3/32	28	40°	K100946HD	95 1/4	2419	1 3/8	35	40°
K080991HD	99 5/8	2531	1 3/32	28	40°	K100950HD	95 5/8	2428	1 3/8	35	40°
K080994HD	100	2540	1 3/32	28	40°	K100953HD	95 7/8	2436	1 3/8	35	40°

FleetRunner® Micro-V® Belts Listed by Number

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
K100983HD	98 7/8	2511	1 3/8	35	40°	K120911HD	91 3/4	2329	1 21/32	42	40°
K100994HD	100	2539	1 3/8	35	40°	K120924HD	93 1/8	2364	1 21/32	42	40°
K101010HD	101 1/2	2579	1 3/8	35	40°	K120931HD	93 3/4	2381	1 21/32	42	40°
K101115HD	112	2846	1 3/8	35	40°	K120945HD	95	2415	1 21/32	42	40°
K120281HD	28 3/4	730	1 21/32	42	40°	K120964HD	97	2463	1 21/32	42	40°
K120360HD	36 5/8	929	1 21/32	42	40°	K120975HD	98 1/8	2492	1 21/32	42	40°
K120390HD	39 3/4	1008	1 21/32	42	40°	K120980HD	98 1/2	2503	1 21/32	42	40°
K120400HD	40 3/4	1034	1 21/32	42	40°	K120985HD	99 1/8	2516	1 21/32	42	40°
K120410HD	41 1/2	1054	1 21/32	42	40°	K121000HD	100 5/8	2556	1 21/32	42	40°
K120525HD	53 1/8	1351	1 21/32	42	40°	K121039HD	104 1/2	2654	1 21/32	42	40°
K120559HD	56 1/2	1436	1 21/32	42	40°	K121049HD	105 1/2	2680	1 21/32	42	40°
K120594HD	60	1523	1 21/32	42	40°	K121133HD	114	2894	1 21/32	42	40°
K120606HD	61 1/8	1553	1 21/32	42	40°	K121139HD	114 1/2	2909	1 21/32	42	40°
K120610HD	61 3/4	1569	1 21/32	42	40°	K140279HD	28 1/2	723	1 15/16	49	40°
K120640HD	64 5/8	1641	1 21/32	42	40°	K140345HD	35	890	1 15/16	49	40°
K120702HD	70 3/4	1798	1 21/32	42	40°	K140370HD	37 1/2	954	1 15/16	49	40°
K120720HD	72 5/8	1845	1 21/32	42	40°	K140429HD	43 1/2	1106	1 15/16	49	40°
K120738HD	74 3/8	1889	1 21/32	42	40°	K140433HD	43 7/8	1116	1 15/16	49	40°
K120774HD	78	1982	1 21/32	42	40°	K140451HD	45 5/8	1160	1 15/16	49	40°
K120786HD	79 1/8	2010	1 21/32	42	40°	K140496HD	50 1/8	1274	1 15/16	49	40°
K120815HD	82	2083	1 21/32	42	40°	K140516HD	52 1/8	1325	1 15/16	49	40°
K120842HD	84 3/4	2154	1 21/32	42	40°	K140524HD	53 1/8	1350	1 15/16	49	40°
K120864HD	86 7/8	2208	1 21/32	42	40°	K140555HD	56	1422	1 15/16	49	40°
K120866HD	87 1/4	2215	1 21/32	42	40°	K140580HD	58 5/8	1490	1 15/16	49	40°
K120870HD	87 5/8	2225	1 21/32	42	40°	K140594HD	60	1523	1 15/16	49	40°
K120872HD	87 3/4	2230	1 21/32	42	40°	K140597HD	60 3/8	1534	1 15/16	49	40°
K120878HD	88 3/8	2245	1 21/32	42	40°	K140603HD	60 7/8	1546	1 15/16	49	40°
K120891HD	89 5/8	2278	1 21/32	42	40°	K140618HD	62 3/8	1585	1 15/16	49	40°
K120895HD	90 1/8	2289	1 21/32	42	40°	K140627HD	63 3/8	1609	1 15/16	49	40°
K120901HD	90 5/8	2301	1 21/32	42	40°	K140662HD	66 3/4	1696	1 15/16	49	40°
K120903HD	90 7/8	2308	1 21/32	42	40°	K140682HD	68 3/4	1746	1 15/16	49	40°
K120910HD	91 5/8	2326	1 21/32	42	40°	K140700HD	70 1/2	1789	1 15/16	49	40°

FleetRunner® Micro-V® Belts

Listed by Width and Length

Showing Nominal Belt Top Widths, Outside Lengths and Angles
with Our Corresponding Belt Numbers

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
9/16" (14mm) Top Width				13/16" (20mm) Top Width				1 3/32" (28mm) Top Width			
				- Continued				- Continued			
38 1/2	977	40°	K040378HD	72 7/8	1851	40°	K060723HD	51 1/2	1309	40°	K080510HD
39 3/8	999	40°	K040388HD	74 1/8	1881	40°	K060735HD	52	1320	40°	K080514HD
43 1/8	1095	40°	K040425HD	74 1/8	1882	40°	K060736HD	53 1/8	1351	40°	K080525HD
43 3/4	1111	40°	K040430HD	74 1/2	1893	40°	K060739HD	53 1/2	1359	40°	K080530HD
45 1/4	1150	40°	K040445HD	75 3/8	1914	40°	K060747HD	54 1/4	1379	40°	K080537HD
75 1/8	1905	40°	K040745HD	80 1/8	2034	40°	K060795HD	55 1/8	1399	40°	K080545HD
76 7/8	1952	40°	K040762HD	81 1/8	2061	40°	K060806HD	55 3/4	1415	40°	K080550HD
21/32" (17mm) Top Width											
33	837	40°	K050323HD	83 3/4	2127	40°	K060832HD	56 5/8	1439	40°	K080560HD
34 3/8	872	40°	K050336HD	85 1/4	2164	40°	K060846HD	57	1448	40°	K080565HD
34 5/8	881	40°	K050340HD	85 1/2	2171	40°	K060849HD	57 1/8	1452	40°	K080566HD
35 1/4	894	40°	K050345HD	86 3/8	2193	40°	K060858HD	57 1/2	1462	40°	K080570HD
35 5/8	906	40°	K050350HD	86 5/8	2201	40°	K060860HD	58 1/8	1475	40°	K080575HD
36 3/4	932	40°	K050360HD	87 5/8	2225	40°	K060870HD	58 5/8	1490	40°	K080580HD
38 1/4	971	40°	K050375HD	88 1/8	2238	40°	K060875HD	59	1499	40°	K080585HD
38 3/4	983	40°	K050380HD	90 7/8	2308	40°	K060905HD	59 1/2	1512	40°	K080590HD
42 5/8	1084	40°	K050420HD	91 1/4	2319	40°	K060908HD	60	1523	40°	K080594HD
13/16" (20mm) Top Width											
34 1/4	871	40°	K060337HD	91 5/8	2329	40°	K060910HD	60 5/8	1538	40°	K080600HD
34 3/4	881	40°	K060340HD	92 7/8	2360	40°	K060923HD	61 1/8	1553	40°	K080605HD
39 3/4	1008	40°	K060390HD	93 5/8	2377	40°	K060930HD	61 3/4	1569	40°	K080610HD
39 7/8	1012	40°	K060393HD	94	2387	40°	K060935HD	62 1/8	1577	40°	K080615HD
40 3/4	1034	40°	K060400HD	99 1/2	2526	40°	K060988HD	62 5/8	1591	40°	K080620HD
41 1/2	1054	40°	K060408HD	99 5/8	2531	40°	K060990HD	62 7/8	1598	40°	K080623HD
42 1/8	1069	40°	K060415HD	99 7/8	2537	40°	K060994HD	63 1/8	1603	40°	K080626HD
43 1/8	1095	40°	K060425HD	100 1/4	2546	40°	K060997HD	63 5/8	1616	40°	K080630HD
44 1/8	1122	40°	K060435HD	100 5/8	2555	40°	K061000HD	64 3/8	1634	40°	K080638HD
44 1/2	1129	40°	K060439HD	101 1/8	2568	40°	K061005HD	65 1/4	1657	40°	K080645HD
46	1170	40°	K060455HD	101 5/8	2581	40°	K061010HD	65 1/2	1665	40°	K080649HD
46 3/8	1179	40°	K060458HD	102 1/8	2593	40°	K061015HD	65 7/8	1674	40°	K080653HD
47 5/8	1211	40°	K060470HD	102 5/8	2605	40°	K061020HD	66 1/2	1691	40°	K080660HD
48 1/4	1227	40°	K060478HD	106 3/8	2701	40°	K061058HD	67 1/2	1716	40°	K080670HD
48 5/8	1237	40°	K060480HD	108 3/4	2761	40°	K061080HD	67 3/4	1722	40°	K080672HD
48 7/8	1241	40°	K060483HD	114 1/2	2910	40°	K061140HD	68	1728	40°	K080675HD
49 1/2	1258	40°	K060490HD	119 1/4	3030	40°	K061187HD	68 1/4	1734	40°	K080677HD
50 1/8	1274	40°	K060495HD	120 1/8	3051	40°	K061195HD	68 5/8	1742	40°	K080680HD
50 3/4	1288	40°	K060500HD	136 1/2	3467	40°	K061360HD	68 7/8	1750	40°	K080683HD
51 1/2	1309	40°	K060509HD	15/16" (24mm) Top Width				69 1/8	1756	40°	K080685HD
52 1/8	1325	40°	K060516HD	41	1042	40°	K070404HD	69 5/8	1767	40°	K080690HD
52 3/4	1339	40°	K060520HD	55 7/8	1418	40°	K070553HD	70	1777	40°	K080694HD
52 7/8	1342	40°	K060523HD	64 5/8	1642	40°	K070640HD	70 1/2	1789	40°	K080700HD
53 3/8	1355	40°	K060525HD	67 3/4	1722	40°	K070673HD	70 3/4	1798	40°	K080702HD
53 1/2	1359	40°	K060529HD	68 1/4	1734	40°	K070677HD	71 1/4	1811	40°	K080708HD
53 7/8	1367	40°	K060532HD	71 1/8	1807	40°	K070705HD	71 1/2	1816	40°	K080710HD
54 1/2	1385	40°	K060539HD	71 1/2	1816	40°	K070709HD	72 1/8	1831	40°	K080716HD
55 1/4	1404	40°	K060547HD	73 3/4	1874	40°	K070733HD	72 3/8	1839	40°	K080718HD
56	1423	40°	K060555HD	74 1/8	1883	40°	K070735HD	72 5/8	1845	40°	K080720HD
56 1/4	1429	40°	K060557HD	79 1/8	2011	40°	K070786HD	73 1/4	1859	40°	K080726HD
56 1/2	1436	40°	K060559HD	80 3/4	2050	40°	K070801HD	73 1/2	1867	40°	K080730HD
56 5/8	1439	40°	K060560HD	81 1/8	2061	40°	K070805HD	73 3/4	1874	40°	K080733HD
57 3/8	1459	40°	K060568HD	83 1/8	2112	40°	K070825HD	74	1880	40°	K080734HD
57 1/2	1462	40°	K060569HD	84	2134	40°	K070835HD	74 3/8	1889	40°	K080738HD
58	1473	40°	K060575HD	106 1/4	2699	40°	K071056HD	74 5/8	1896	40°	K080740HD
58 3/8	1483	40°	K060578HD	125 3/8	3183	40°	K071247HD	75 1/8	1907	40°	K080745HD
59 1/4	1504	40°	K060586HD	1 3/32" (28mm) Top Width				75 5/8	1921	40°	K080751HD
60	1523	40°	K060594HD	33 3/4	856	40°	K080330HD	76	1931	40°	K080755HD
60 3/8	1534	40°	K060598HD	38 1/8	968	40°	K080375HD	76 1/2	1942	40°	K080760HD
61 1/8	1553	40°	K060605HD	38 3/4	983	40°	K080382HD	77	1957	40°	K080765HD
62 1/8	1577	40°	K060615HD	39	990	40°	K080384HD	77 3/4	1976	40°	K080774HD
63 1/8	1603	40°	K060625HD	39 1/8	992	40°	K080385HD	78 1/8	1985	40°	K080776HD
64 1/8	1627	40°	K060635HD	40 3/4	1034	40°	K080400HD	78 5/8	1996	40°	K080780HD
64 3/8	1634	40°	K060637HD	42 1/8	1069	40°	K080415HD	79	2007	40°	K080785HD
65 7/8	1674	40°	K060653HD	43 1/2	1103	40°	K080427HD	79 1/2	2019	40°	K080790HD
66 3/8	1687	40°	K060658HD	43 7/8	1115	40°	K080433HD	80	2032	40°	K080794HD
66 3/4	1696	40°	K060660HD	44 1/8	1122	40°	K080435HD	80 1/8	2037	40°	K080797HD
67 1/2	1716	40°	K060670HD	45 5/8	1160	40°	K080450HD	80 3/4	2050	40°	K080801HD
67 3/4	1722	40°	K060672HD	47	1195	40°	K080465HD	81 1/8	2061	40°	K080806HD
68	1728	40°	K060675HD	47 3/8	1203	40°	K080468HD	81 5/8	2073	40°	K080810HD
68 5/8	1742	40°	K060680HD	47 3/4	1211	40°	K080471HD	82 1/8	2086	40°	K080816HD
69 1/8	1756	40°	K060685HD	49 1/8	1249	40°	K080485HD	82 3/8	2091	40°	K080817HD
69 5/8	1767	40°	K060690HD	50 1/8	1274	40°	K080496HD	82 3/4	2101	40°	K080820HD
72	1830	40°	K060716HD	51	1297	40°	K080505HD	83 1/8	2112	40°	K080825HD
								83 3/4	2127	40°	K080830HD
								84 3/8	2144	40°	K080839HD
								84 3/4	2154	40°	K080842HD

FleetRunner® Micro-V® Belts Listed by Width and Length

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
1 3/32" (28mm) Top Width				1 7/32" (31mm) Top Width				1 21/32" (42mm) Top Width			
- Continued				50 1/2	1282	40°	K090500HD	28 3/4	730	40°	K120281HD
85 1/8	2161	40°	K080845HD	61 1/2	1562	40°	K090609HD	36 5/8	929	40°	K120360HD
85 3/8	2175	40°	K080850HD	1 3/8" (35mm) Top Width				39 3/4	1008	40°	K120390HD
86 1/8	2187	40°	K080855HD	38 3/4	983	40°	K100381HD	40 3/4	1034	40°	K120400HD
86 3/8	2195	40°	K080859HD	44 1/4	1124	40°	K100437HD	41 1/2	1054	40°	K120410HD
86 5/8	2200	40°	K080860HD	46 1/8	1173	40°	K100456HD	53 1/8	1351	40°	K120525HD
87 1/8	2212	40°	K080865HD	47	1195	40°	K100465HD	56 1/2	1436	40°	K120559HD
87 3/8	2219	40°	K080868HD	48 7/8	1241	40°	K100485HD	60	1523	40°	K120594HD
87 3/4	2230	40°	K080872HD	50 1/8	1274	40°	K100495HD	61 1/8	1553	40°	K120606HD
88 1/8	2240	40°	K080876HD	50 3/4	1288	40°	K100502HD	61 3/4	1569	40°	K120610HD
88 3/8	2245	40°	K080878HD	51 1/2	1309	40°	K100510HD	64 5/8	1641	40°	K120640HD
89 1/8	2263	40°	K080885HD	54	1373	40°	K100535HD	70 3/4	1798	40°	K120702HD
89 1/2	2272	40°	K080889HD	54 1/2	1385	40°	K100540HD	72 5/8	1845	40°	K120720HD
89 7/8	2282	40°	K080893HD	56	1423	40°	K100554HD	74 3/8	1889	40°	K120738HD
90 3/8	2295	40°	K080897HD	56 7/8	1444	40°	K100563HD	78	1982	40°	K120774HD
90 7/8	2308	40°	K080903HD	57	1448	40°	K100564HD	79 1/8	2010	40°	K120786HD
91 5/8	2326	40°	K080910HD	57 1/2	1462	40°	K100570HD	82	2083	40°	K120815HD
92 1/8	2340	40°	K080915HD	57 7/8	1469	40°	K100572HD	84 3/4	2154	40°	K120842HD
92 3/4	2355	40°	K080922HD	58 1/8	1475	40°	K100575HD	86 7/8	2208	40°	K120864HD
93 1/8	2367	40°	K080926HD	58 3/8	1482	40°	K100578HD	87 1/4	2215	40°	K120866HD
93 5/8	2379	40°	K080931HD	58 1/2	1487	40°	K100579HD	87 5/8	2225	40°	K120870HD
93 7/8	2384	40°	K080934HD	58 3/4	1492	40°	K100582HD	87 3/4	2230	40°	K120872HD
94 1/2	2400	40°	K080939HD	60	1523	40°	K100594HD	88 3/8	2245	40°	K120878HD
95	2412	40°	K080944HD	60 1/2	1538	40°	K100600HD	89 5/8	2278	40°	K120891HD
95 3/4	2432	40°	K080952HD	61 1/4	1557	40°	K100607HD	90 1/8	2289	40°	K120895HD
96 1/4	2444	40°	K080956HD	61 5/8	1564	40°	K100610HD	90 5/8	2301	40°	K120901HD
97	2465	40°	K080964HD	62	1576	40°	K100615HD	90 7/8	2308	40°	K120903HD
97 1/2	2475	40°	K080968HD	63 5/8	1616	40°	K100630HD	91 5/8	2326	40°	K120910HD
99 1/8	2519	40°	K080986HD	63 3/4	1619	40°	K100618HD	91 3/4	2329	40°	K120911HD
99 5/8	2531	40°	K080991HD	64 1/4	1633	40°	K100637HD	93 1/8	2364	40°	K120924HD
100	2540	40°	K080994HD	64 5/8	1642	40°	K100640HD	93 3/4	2381	40°	K120931HD
100 5/8	2555	40°	K081000HD	65 1/2	1664	40°	K100649HD	95	2415	40°	K120945HD
101 1/8	2568	40°	K081005HD	66	1678	40°	K100655HD	97	2463	40°	K120964HD
102 5/8	2605	40°	K081020HD	66 3/8	1687	40°	K100658HD	98 1/8	2492	40°	K120975HD
102 7/8	2613	40°	K081023HD	66 3/4	1694	40°	K100661HD	98 1/2	2503	40°	K120980HD
104	2642	40°	K081035HD	67 1/8	1704	40°	K100665HD	99 1/8	2516	40°	K120985HD
105	2666	40°	K081044HD	67 1/2	1716	40°	K100670HD	100 5/8	2556	40°	K121000HD
106 1/8	2694	40°	K081055HD	68	1728	40°	K100675HD	104 1/2	2654	40°	K121039HD
107 1/8	2720	40°	K081065HD	68 1/4	1734	40°	K100677HD	105 1/2	2680	40°	K121049HD
108	2745	40°	K081074HD	69 1/4	1758	40°	K100686HD	114	2894	40°	K121133HD
108 1/2	2756	40°	K081079HD	71 1/2	1816	40°	K100710HD	114 1/2	2909	40°	K121139HD
109 3/8	2778	40°	K081088HD	72 3/8	1840	40°	K100719HD	1 15/16" (49mm) Top Width			
109 3/4	2788	40°	K081092HD	72 5/8	1845	40°	K100720HD	28 1/2	723	40°	K140279HD
110 1/2	2807	40°	K081099HD	73 1/8	1859	40°	K100726HD	35	890	40°	K140345HD
110 3/4	2814	40°	K081102HD	73 5/8	1871	40°	K100731HD	37 1/2	954	40°	K140370HD
113	2869	40°	K081124HD	74 1/2	1893	40°	K100739HD	43 1/2	1106	40°	K140429HD
116 1/4	2953	40°	K081153HD	75 1/8	1907	40°	K100745HD	43 7/8	1116	40°	K140433HD
118 1/4	3005	40°	K081177HD	77	1957	40°	K100764HD	45 5/8	1160	40°	K140451HD
119 1/2	3034	40°	K081189HD	77 3/4	1976	40°	K100771HD	50 1/8	1274	40°	K140496HD
120 1/8	3050	40°	K081196HD	79 1/2	2019	40°	K100789HD	52 1/8	1325	40°	K140516HD
121 3/8	3082	40°	K081207HD	81 5/8	2073	40°	K100810HD	53 1/8	1350	40°	K140524HD
121 7/8	3096	40°	K081213HD	83 5/8	2124	40°	K100830HD	56	1422	40°	K140555HD
122 3/4	3117	40°	K081223HD	85 7/8	2182	40°	K100852HD	58 5/8	1490	40°	K140580HD
127	3227	40°	K081264HD	86 5/8	2200	40°	K100860HD	60	1523	40°	K140594HD
127 1/8	3228	40°	K081265HD	88 1/2	2247	40°	K100879HD	60 3/8	1534	40°	K140597HD
130 3/8	3312	40°	K081298HD	89 3/4	2278	40°	K100891HD	60 7/8	1546	40°	K140603HD
133 1/8	3381	40°	K081325HD	90	2285	40°	K100894HD	62 3/8	1585	40°	K140618HD
133 3/4	3396	40°	K081331HD	95 1/4	2419	40°	K100946HD	63 3/8	1609	40°	K140627HD
136 1/2	3468	40°	K081359HD	95 5/8	2428	40°	K100950HD	66 3/4	1696	40°	K140662HD
136 3/4	3474	40°	K081362HD	95 7/8	2436	40°	K100953HD	68 3/4	1746	40°	K140682HD
138 1/4	3513	40°	K081377HD	98 7/8	2511	40°	K100983HD	70 1/2	1789	40°	K140700HD
				100	2539	40°	K100994HD				
				101 1/2	2579	40°	K101010HD				
				112	2846	40°	K101115HD				

FleetRunner® Heavy-Duty V-Belts Listed by Number

Showing Belt Numbers with Corresponding
Nominal Outside Lengths, Top Widths and Angles

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
9290HD	▼ 29 3/8	746	1/2	13	38°	9490HD	▼ 49 3/8	1254	1/2	13	38°
9305HD	▼ 30 7/8	784	1/2	13	38°	9495HD	▼ 49 29/32	1268	1/2	13	38°
9309HD	▼ 31 5/16	795	1/2	13	38°	9500HD	▼ 50 7/16	1281	1/2	13	38°
9313HD	▼ 31 7/8	810	1/2	13	38°	9505HD	▼ 50 7/8	1292	1/2	13	38°
9319HD	▼ 32 5/8	830	1/2	13	38°	9510HD	▼ 51 3/8	1305	1/2	13	38°
9325HD	▼ 32 7/8	835	1/2	13	38°	9520HD	▼ 52 7/16	1332	1/2	13	38°
9330HD	▼ 33 3/8	848	1/2	13	38°	9525HD	▼ 52 7/8	1343	1/2	13	38°
9335HD	▼ 33 29/32	862	1/2	13	38°	9530HD	▼ 53 7/16	1357	1/2	13	38°
9341HD	▼ 34 3/8	873	1/2	13	38°	9540HD	▼ 54 3/8	1382	1/2	13	38°
9345HD	▼ 34 7/8	886	1/2	13	38°	9545HD	▼ 54 27/32	1393	1/2	13	38°
9350HD	▼ 35 15/32	901	1/2	13	38°	9550HD	▼ 55 13/32	1408	1/2	13	38°
9355HD	▼ 35 31/32	914	1/2	13	38°	9555HD	▼ 55 27/32	1418	1/2	13	38°
9360HD	▼ 36 3/8	924	1/2	13	38°	9560HD	▼ 56 13/32	1433	1/2	13	38°
9365HD	▼ 36 7/8	936	1/2	13	38°	9565HD	▼ 56 27/32	1443	1/2	13	38°
9370HD	▼ 37 3/8	950	1/2	13	38°	9570HD	▼ 57 13/32	1458	1/2	13	38°
9375HD	▼ 37 15/16	963	1/2	13	38°	9580HD	▼ 58 3/8	1483	1/2	13	38°
9380HD	▼ 38 3/8	975	1/2	13	38°	9585HD	▼ 58 7/8	1496	1/2	13	38°
9385HD	▼ 38 29/32	989	1/2	13	38°	9590HD	▼ 59 13/32	1509	1/2	13	38°
9390HD	▼ 39 3/8	1000	1/2	13	38°	9600HD	▼ 60 13/32	1534	1/2	13	38°
9395HD	▼ 39 29/32	1013	1/2	13	38°	9605HD	▼ 60 31/32	1549	1/2	13	38°
9400HD	▼ 40 3/8	1026	1/2	13	38°	9610HD	▼ 61 7/16	1561	1/2	13	38°
9403HD	▼ 40 5/8	1032	1/2	13	38°	9620HD	▼ 62 3/8	1584	1/2	13	38°
9405HD	▼ 40 27/32	1038	1/2	13	38°	9625HD	▼ 62 7/8	1597	1/2	13	38°
9412HD	▼ 41 3/8	1051	1/2	13	38°	9630HD	▼ 63 13/32	1610	1/2	13	38°
9415HD	▼ 41 29/32	1065	1/2	13	38°	9635HD	▼ 63 29/32	1623	1/2	13	38°
9420HD	▼ 42 11/32	1075	1/2	13	38°	9640HD	▼ 64 3/8	1635	1/2	13	38°
9425HD	▼ 42 27/32	1088	1/2	13	38°	9650HD	▼ 65 3/8	1661	1/2	13	38°
9430HD	▼ 43 7/16	1103	1/2	13	38°	9660HD	▼ 66 3/8	1686	1/2	13	38°
9435HD	▼ 43 7/8	1115	1/2	13	38°	9670HD	▼ 67 3/8	1712	1/2	13	38°
9440HD	▼ 44 3/8	1127	1/2	13	38°	9680HD	▼ 68 3/8	1737	1/2	13	38°
9447HD	▼ 44 27/32	1139	1/2	13	38°	9690HD	▼ 69 3/8	1762	1/2	13	38°
9451HD	▼ 45 7/16	1154	1/2	13	38°	9700HD	▼ 70 3/8	1788	1/2	13	38°
9455HD	▼ 45 27/32	1165	1/2	13	38°	9710HD	▼ 71 3/8	1813	1/2	13	38°
9463HD	▼ 46 3/8	1178	1/2	13	38°	9720HD	▼ 72 3/8	1838	1/2	13	38°
9465HD	▼ 46 27/32	1190	1/2	13	38°	9730HD	▼ 73 11/32	1863	1/2	13	38°
9470HD	▼ 47 3/8	1203	1/2	13	38°	9740HD	▼ 74 7/8	1901	1/2	13	38°
9476HD	▼ 47 15/16	1218	1/2	13	38°	9745HD	▼ 74 7/8	1900	1/2	13	38°
9480HD	▼ 48 15/32	1231	1/2	13	38°	9755HD	▼ 75 15/16	1929	1/2	13	38°
9485HD	▼ 48 27/32	1240	1/2	13	38°						

▼ Indicates Notched Belt.

FleetRunner® Heavy-Duty V-Belts

Listed by Width and Length

Showing Nominal Belt Top Widths, Outside Lengths and Angles with Our Corresponding Belt Numbers

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
1/2" (13mm) Top Width (HC50)				1/2" (13mm) Top Width (HC50)				1/2" (13mm) Top Width (HC50)			
29 3/8	746	38°	▼ 9290HD	- Continued				56 27/32	1443	38°	▼ 9565HD
30 7/8	784	38°	▼ 9305HD	43 7/16	1103	38°	▼ 9430HD	57 13/32	1458	38°	▼ 9570HD
31 5/16	795	38°	▼ 9309HD	43 7/8	1115	38°	▼ 9435HD	58 3/8	1483	38°	▼ 9580HD
31 7/8	810	38°	▼ 9313HD	44 3/8	1127	38°	▼ 9440HD	58 7/8	1496	38°	▼ 9585HD
32 5/8	830	38°	▼ 9319HD	44 27/32	1139	38°	▼ 9447HD	59 13/32	1509	38°	▼ 9590HD
32 7/8	835	38°	▼ 9325HD	45 7/16	1154	38°	▼ 9451HD	60 13/32	1534	38°	▼ 9600HD
33 3/8	848	38°	▼ 9330HD	45 27/32	1165	38°	▼ 9455HD	60 31/32	1549	38°	▼ 9605HD
33 29/32	862	38°	▼ 9335HD	46 3/8	1178	38°	▼ 9463HD	61 7/16	1561	38°	▼ 9610HD
34 3/8	873	38°	▼ 9341HD	46 27/32	1190	38°	▼ 9465HD	62 3/8	1584	38°	▼ 9620HD
34 7/8	886	38°	▼ 9345HD	47 3/8	1203	38°	▼ 9470HD	62 7/8	1597	38°	▼ 9625HD
35 15/32	901	38°	▼ 9350HD	47 15/16	1218	38°	▼ 9476HD	63 13/32	1610	38°	▼ 9630HD
35 31/32	914	38°	▼ 9355HD	48 15/32	1231	38°	▼ 9480HD	63 29/32	1623	38°	▼ 9635HD
36 3/8	924	38°	▼ 9360HD	48 27/32	1240	38°	▼ 9485HD	64 3/8	1635	38°	▼ 9640HD
36 7/8	936	38°	▼ 9365HD	49 3/8	1254	38°	▼ 9490HD	65 3/8	1661	38°	▼ 9650HD
37 3/8	950	38°	▼ 9370HD	49 29/32	1268	38°	▼ 9495HD	66 3/8	1686	38°	▼ 9660HD
37 15/16	963	38°	▼ 9375HD	50 7/16	1281	38°	▼ 9500HD	67 3/8	1712	38°	▼ 9670HD
38 3/8	975	38°	▼ 9380HD	50 7/8	1292	38°	▼ 9505HD	68 3/8	1737	38°	▼ 9680HD
38 29/32	989	38°	▼ 9385HD	51 3/8	1305	38°	▼ 9510HD	69 3/8	1762	38°	▼ 9690HD
39 3/8	1000	38°	▼ 9390HD	52 7/16	1332	38°	▼ 9520HD	70 3/8	1788	38°	▼ 9700HD
39 29/32	1013	38°	▼ 9395HD	52 7/8	1343	38°	▼ 9525HD	71 3/8	1813	38°	▼ 9710HD
40 3/8	1026	38°	▼ 9400HD	53 7/16	1357	38°	▼ 9530HD	72 3/8	1838	38°	▼ 9720HD
40 5/8	1032	38°	▼ 9403HD	54 3/8	1382	38°	▼ 9540HD	73 11/32	1863	38°	▼ 9730HD
40 27/32	1038	38°	▼ 9405HD	54 27/32	1393	38°	▼ 9545HD	74 7/8	1901	38°	▼ 9740HD
41 3/8	1051	38°	▼ 9412HD	55 13/32	1408	38°	▼ 9550HD	74 7/8	1900	38°	▼ 9745HD
41 29/32	1065	38°	▼ 9415HD	55 27/32	1418	38°	▼ 9555HD	75 15/16	1929	38°	▼ 9755HD
42 11/32	1075	38°	▼ 9420HD	56 13/32	1433	38°	▼ 9560HD				
42 27/32	1088	38°	▼ 9425HD								

▼ Indicates Notched Belt.

Green Stripe® Truck and Bus V-Belts Listed by Number

Showing Belt Numbers with Corresponding Nominal Outside Lengths, Top Widths and Angles

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Competitive V-Belt



Our V-Belts with
"Vertical Flats"

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
TR20412	41 1/2	1056	5/8	16	36°	TR22664	67	1703	11/16	17	36°
TR20426	43	1092	5/8	16	36°	TR22676	68	1728	11/16	17	36°
TR20451	45 1/2	1155	5/8	16	36°	TR22692	69 3/4	1773	11/16	17	36°
TR20544	54 3/4	1390	5/8	16	36°	TR22711	71 5/8	1819	11/16	17	36°
TR20619	62 3/8	1585	5/8	16	36°	TR22720	72 5/8	1844	11/16	17	36°
TR22299	30 1/2	774	11/16	17	36°	TR22752	75 3/4	1924	11/16	17	36°
TR22322	32 3/4	833	11/16	17	36°	TR22770	77 5/8	1971	11/16	17	36°
TR22329	33 1/2	850	11/16	17	36°	TR22792	79 5/8	2021	11/16	17	36°
TR22336	34 1/8	868	11/16	17	36°	TR24281	28 5/8	728	3/4	19	36°
TR22344	34 7/8	886	11/16	17	36°	TR24308	31 1/2	799	3/4	19	36°
TR22350	35 5/8	906	11/16	17	36°	TR24315	32	812	3/4	19	36°
TR22358	36 1/2	926	11/16	17	36°	TR24355	36 1/8	918	3/4	19	36°
TR22363	36 7/8	937	11/16	17	36°	TR24365	37 1/8	943	3/4	19	36°
TR22373	38	964	11/16	17	36°	TR24379	38 3/8	976	3/4	19	36°
TR22380	38 5/8	980	11/16	17	36°	TR24400	40 5/8	1032	3/4	19	36°
TR22386	39 1/8	993	11/16	17	36°	TR24403	40 3/4	1036	3/4	19	36°
TR22392	39 3/4	1010	11/16	17	36°	TR24407	41 1/4	1047	3/4	19	36°
TR22397	40 1/4	1022	11/16	17	36°	TR24414	41 7/8	1065	3/4	19	36°
TR22401	40 5/8	1031	11/16	17	36°	TR24424	42 7/8	1090	3/4	19	36°
TR22405	41 1/8	1045	11/16	17	36°	TR24438	44 3/8	1126	3/4	19	36°
TR22410	41 5/8	1056	11/16	17	36°	TR24449	45 5/8	1158	3/4	19	36°
TR22416	42 1/4	1073	11/16	17	36°	TR24457	46 1/4	1174	3/4	19	36°
TR22425	43 1/8	1095	11/16	17	36°	TR24461	46 5/8	1183	3/4	19	36°
TR22434	44	1117	11/16	17	36°	TR24465	47	1195	3/4	19	36°
TR22443	44 7/8	1139	11/16	17	36°	TR24476	48 1/4	1225	3/4	19	36°
TR22448	45 3/8	1151	11/16	17	36°	TR24489	49 3/8	1255	3/4	19	36°
TR22455	46 1/8	1171	11/16	17	36°	TR24500	50 5/8	1285	3/4	19	36°
TR22461	46 5/8	1184	11/16	17	36°	TR24515	51 7/8	1318	3/4	19	36°
TR22474	47 7/8	1218	11/16	17	36°	TR24530	53 5/8	1362	3/4	19	36°
TR22485	49 1/8	1247	11/16	17	36°	TR24538	54 1/4	1379	3/4	19	36°
TR22495	50 1/8	1273	11/16	17	36°	TR24562	56 5/8	1438	3/4	19	36°
TR22508	51 3/8	1306	11/16	17	36°	TR24578	58 1/4	1480	3/4	19	36°
TR22514	51 7/8	1319	11/16	17	36°	TR24597	60 1/4	1531	3/4	19	36°
TR22517	52 3/8	1332	11/16	17	36°	TR24607	61 1/4	1556	3/4	19	36°
TR22525	53 1/8	1349	11/16	17	36°	TR24619	62 1/2	1589	3/4	19	36°
TR22534	53 7/8	1369	11/16	17	36°	TR24638	64 1/4	1631	3/4	19	36°
TR22545	55 1/8	1399	11/16	17	36°	TR24647	65 1/4	1658	3/4	19	36°
TR22553	55 7/8	1420	11/16	17	36°	TR24664	67	1702	3/4	19	36°
TR22570	57 5/8	1462	11/16	17	36°	TR24688	69 1/4	1759	3/4	19	36°
TR22578	58 1/4	1479	11/16	17	36°	TR24709	71 1/4	1810	3/4	19	36°
TR22588	59 3/8	1509	11/16	17	36°	TR26341	34 5/8	879	13/16	21	36°
TR22607	61 1/4	1557	11/16	17	36°	TR26353	36	913	13/16	21	36°
TR22625	63 1/8	1602	11/16	17	36°	TR26366	37 1/4	947	13/16	21	36°
TR22635	64 1/8	1627	11/16	17	36°	TR28333	33 7/8	859	7/8	22	36°
TR22648	65 1/4	1658	11/16	17	36°	TR28346	35 1/8	892	7/8	22	36°
TR22657	66 1/4	1682	11/16	17	36°	TR28376	38 1/8	970	7/8	22	36°

▼ Indicates Notched Belt.

Green Stripe® Truck and Bus V-Belts Listed by Number

Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle	Belt No.	Length (in)	Length (mm)	Top Width (in)	Top Width (mm)	Angle
TR28386	39 1/8	995	7/8	22	36°	TR28706	71 1/8	1808	7/8	22	36°
TR28390	39 5/8	1007	7/8	22	36°	TR28733	73 7/8	1875	7/8	22	36°
TR28400	40 5/8	1032	7/8	22	36°	TR28743	75	1904	7/8	22	36°
TR28406	41 1/8	1046	7/8	22	36°	TR28786	79 1/8	2009	7/8	22	36°
TR28412	41 7/8	1062	7/8	22	36°	TR30408	41 1/2	1054	15/16	24	36°
TR28423	42 7/8	1088	7/8	22	36°	TR30428	43 1/2	1104	15/16	24	36°
TR28429	43 1/2	1105	7/8	22	36°	TR30448	45 3/8	1152	15/16	24	36°
TR28437	44 1/4	1125	7/8	22	36°	TR30467	47 1/4	1201	15/16	24	36°
TR28445	45 1/8	1145	7/8	22	36°	TR30484	49	1244	15/16	24	36°
TR28454	45 7/8	1166	7/8	22	36°	TR30506	51 1/8	1299	15/16	24	36°
TR28463	46 7/8	1190	7/8	22	36°	TR30537	54 3/8	1381	15/16	24	36°
TR28473	47 7/8	1216	7/8	22	36°	TR30543	54 7/8	1393	15/16	24	36°
TR28480	48 5/8	1236	7/8	22	36°	TR30589	59 1/2	1510	15/16	24	36°
TR28483	48 7/8	1240	7/8	22	36°	TR30624	62 7/8	1599	15/16	24	36°
TR28492	49 3/4	1265	7/8	22	36°	TR30652	65 3/4	1671	15/16	24	36°
TR28498	50 1/4	1277	7/8	22	36°	TR30672	67 3/4	1722	15/16	24	36°
TR28501	50 7/8	1291	7/8	22	36°	TR30698	70 3/8	1788	15/16	24	36°
TR28510	51 5/8	1312	7/8	22	36°	TR30710	71 5/8	1818	15/16	24	36°
TR28514	52	1320	7/8	22	36°	TR30722	72 3/4	1849	15/16	24	36°
TR28522	52 7/8	1342	7/8	22	36°	TR30754	76	1929	15/16	24	36°
TR28545	55 1/8	1401	7/8	22	36°	TR30770	77 1/8	1960	15/16	24	36°
TR28550	55 5/8	1413	7/8	22	36°	TR30808	81 1/4	2065	15/16	24	36°
TR28557	56 1/4	1430	7/8	22	36°	TR32491	49 5/8	1262	1	25	36°
TR28565	57 1/8	1451	7/8	22	36°	TR32513	51 7/8	1317	1	25	36°
TR28570	57 5/8	1464	7/8	22	36°	TR32571	57 5/8	1464	1	25	36°
TR28575	58 1/8	1477	7/8	22	36°	TR34435	44 1/8	1120	1 1/16	27	36°
TR28583	58 7/8	1494	7/8	22	36°	TR34456	46 1/8	1172	1 1/16	27	36°
TR28596	60 1/4	1530	7/8	22	36°	TR34467	47 1/4	1199	1 1/16	27	36°
TR28616	62 1/8	1578	7/8	22	36°	TR34495	50 1/8	1273	1 1/16	27	36°
TR28628	63 3/8	1609	7/8	22	36°	TR34506	51 1/4	1303	1 1/16	27	36°
TR28649	65 1/2	1663	7/8	22	36°	TR34545	55	1395	1 1/16	27	36°
TR28657	66 1/4	1684	7/8	22	36°	TR34604	61 1/8	1553	1 1/16	27	36°
TR28666	67 1/4	1710	7/8	22	36°	TR34700	70 5/8	1793	1 1/16	27	36°
TR28680	68 5/8	1744	7/8	22	36°	TR34711	71 5/8	1820	1 1/16	27	36°
TR28693	69 7/8	1774	7/8	22	36°	TR34771	77 3/4	1975	1 1/16	27	36°

▼ Indicates Notched Belt.

Green Stripe® Truck and Bus V-Belts Listed by Width and Length


Showing Nominal Belt Top Widths, Outside Lengths and Angles with Our Corresponding Belt Numbers

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Competitive V-Belt



Our V-Belts with
"Vertical Flats"

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
5/8" (16mm) Top Width				3/4" (19mm) Top Width				7/8" (22mm) Top Width			
41 1/2	1056	36°	TR20412	- Continued				- Continued			
43	1092	36°	TR20426	65 1/4	1658	36°	TR22648	13/16" (21mm) Top Width			
45 1/2	1155	36°	TR20451	66 1/4	1682	36°	TR22657	34 5/8	879	36°	TR26341
54 3/4	1390	36°	TR20544	67	1703	36°	TR22664	36	913	36°	TR26353
62 3/8	1585	36°	TR20619	68	1728	36°	TR22676	37 1/4	947	36°	TR26366
11/16" (17mm) Top Width				69 3/4	1773	36°	TR22692	7/8" (22mm) Top Width			
30 1/2	774	36°	TR22299	71 5/8	1819	36°	TR22711	33 7/8	859	36°	TR28333
32 3/4	833	36°	TR22322	72 5/8	1844	36°	TR22720	35 1/8	892	36°	TR28346
33 1/2	850	36°	TR22329	75 3/4	1924	36°	TR22752	38 1/8	970	36°	TR28376
34 1/8	868	36°	TR22336	77 5/8	1971	36°	TR22770	39 1/8	995	36°	TR28386
34 7/8	886	36°	TR22344	79 5/8	2021	36°	TR22792	39 5/8	1007	36°	TR28390
35 5/8	906	36°	TR22350	3/4" (19mm) Top Width				40 5/8	1032	36°	TR28400
36 1/2	926	36°	TR22358	28 5/8	728	36°	TR24281	41 1/8	1046	36°	TR28406
36 7/8	937	36°	TR22363	31 1/2	799	36°	TR24308	41 7/8	1062	36°	TR28412
38	964	36°	TR22373	32	812	36°	TR24315	42 7/8	1088	36°	TR28423
38 5/8	980	36°	TR22380	36 1/8	918	36°	TR24355	43 1/2	1105	36°	TR28429
39 1/8	993	36°	TR22386	37 1/8	943	36°	TR24365	44 1/4	1125	36°	TR28437
39 3/4	1010	36°	TR22392	38 3/8	976	36°	TR24379	45 1/8	1145	36°	TR28445
40 1/4	1022	36°	TR22397	40 5/8	1032	36°	TR24400	45 7/8	1166	36°	TR28454
40 5/8	1031	36°	TR22401	40 3/4	1036	36°	TR24403	46 7/8	1190	36°	TR28463
41 1/8	1045	36°	TR22405	41 1/4	1047	36°	TR24407	47 7/8	1216	36°	TR28473
41 5/8	1056	36°	TR22410	41 7/8	1065	36°	TR24414	48 5/8	1236	36°	TR28480
42 1/4	1073	36°	TR22416	42 7/8	1090	36°	TR24424	48 7/8	1240	36°	TR28483
43 1/8	1095	36°	TR22425	44 3/8	1126	36°	TR24438	49 3/4	1265	36°	TR28492
44	1117	36°	TR22434	45 5/8	1158	36°	TR24449	50 1/4	1277	36°	TR28498
44 7/8	1139	36°	TR22443	46 1/4	1174	36°	TR24457	50 7/8	1291	36°	TR28501
45 3/8	1151	36°	TR22448	46 5/8	1183	36°	TR24461	51 5/8	1312	36°	TR28510
46 1/8	1171	36°	TR22455	47	1195	36°	TR24465	52	1320	36°	TR28514
46 5/8	1184	36°	TR22461	48 1/4	1225	36°	TR24476	52 7/8	1342	36°	TR28522
47 7/8	1218	36°	TR22474	49 3/8	1255	36°	TR24489	55 1/8	1401	36°	TR28545
49 1/8	1247	36°	TR22485	50 5/8	1285	36°	TR24500	55 5/8	1413	36°	TR28550
50 1/8	1273	36°	TR22495	51 7/8	1318	36°	TR24515	56 1/4	1430	36°	TR28557
51 3/8	1306	36°	TR22508	53 5/8	1362	36°	TR24530	57 1/8	1451	36°	TR28565
51 7/8	1319	36°	TR22514	54 1/4	1379	36°	TR24538	57 5/8	1464	36°	TR28570
52 3/8	1332	36°	TR22517	56 5/8	1438	36°	TR24562	58 1/8	1477	36°	TR28575
53 1/8	1349	36°	TR22525	58 1/4	1480	36°	TR24578	58 7/8	1494	36°	TR28583
53 7/8	1369	36°	TR22534	60 1/4	1531	36°	TR24597	60 1/4	1530	36°	TR28596
55 1/8	1399	36°	TR22545	61 1/4	1556	36°	TR24607	62 1/8	1578	36°	TR28616
55 7/8	1420	36°	TR22553	62 1/2	1589	36°	TR24619	63 3/8	1609	36°	TR28628
57 5/8	1462	36°	TR22570	64 1/4	1631	36°	TR24638	65 1/2	1663	36°	TR28649
58 1/4	1479	36°	TR22578	65 1/4	1658	36°	TR24647	66 1/4	1684	36°	TR28657
59 3/8	1509	36°	TR22588	67	1702	36°	TR24664	67 1/4	1710	36°	TR28666
61 1/4	1557	36°	TR22607	69 1/4	1759	36°	TR24688	68 5/8	1744	36°	TR28680
63 1/8	1602	36°	TR22625	71 1/4	1810	36°	TR24709				
64 1/8	1627	36°	TR22635								

Green Stripe® Truck and Bus V-Belts Listed by Width and Length

Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.	Length (in)	Length (mm)	Angle	Belt No.
7/8" (22mm) Top Width				15/16" (24mm) Top Width				1" (25mm) Top Width			
- Continued				- Continued							
69 7/8	1774	36°	TR28693	54 3/8	1381	36°	TR30537	49 5/8	1262	36°	TR32491
71 1/8	1808	36°	TR28706	54 7/8	1393	36°	TR30543	51 7/8	1317	36°	TR32513
73 7/8	1875	36°	TR28733	59 1/2	1510	36°	TR30589	57 5/8	1464	36°	TR32571
75	1904	36°	TR28743	62 7/8	1599	36°	TR30624	1 1/16" (27mm) Top Width			
79 1/8	2009	36°	TR28786	65 3/4	1671	36°	TR30652	44 1/8	1120	36°	TR34435
15/16" (24mm) Top Width				67 3/4	1722	36°	TR30672	46 1/8	1172	36°	TR34456
41 1/2	1054	36°	TR30408	70 3/8	1788	36°	TR30698	47 1/4	1199	36°	TR34467
43 1/2	1104	36°	TR30428	71 5/8	1818	36°	TR30710	50 1/8	1273	36°	TR34495
45 3/8	1152	36°	TR30448	72 3/4	1849	36°	TR30722	51 1/4	1303	36°	TR34506
47 1/4	1201	36°	TR30467	76	1929	36°	TR30754	55	1395	36°	TR34545
49	1244	36°	TR30484	77 1/8	1960	36°	TR30770	61 1/8	1553	36°	TR34604
51 1/8	1299	36°	TR30506	81 1/4	2065	36°	TR30808	70 5/8	1793	36°	TR34700
								71 5/8	1820	36°	TR34711
								77 3/4	1975	36°	TR34771


Green Stripe® Truck and Bus Powerband®

Belts Listed by Number

Showing Belt Numbers with Corresponding Nominal Outside Lengths, Top Widths per Strand and Angles

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Belt No.	Length (in)	Length (mm)	Top Width Per Strand (in)	Top Width Per Strand (mm)	Template Color	Belt No.	Length (in)	Length (mm)	Top Width Per Strand (in)	Top Width Per Strand (mm)	Template Color
2/9305PB.....	31 1/2	799	1/2	13	Yellow	2/9660PB.....	66 7/8	1698	1/2	13	Yellow
2/9313PB.....	32 1/8	817	1/2	13	Yellow	2/9670PB.....	67 3/8	1710	1/2	13	Yellow
2/9325PB.....	33 1/2	852	1/2	13	Yellow	2/9690PB.....	70	1778	1/2	13	Yellow
2/9430PB.....	43 7/8	1116	1/2	13	Yellow	2/9700PB.....	70 7/8	1800	1/2	13	Yellow
2/9435PB.....	44 3/8	1128	1/2	13	Yellow	2/9710PB.....	71 7/8	1825	1/2	13	Yellow
2/9447PB.....	45 3/8	1154	1/2	13	Yellow	2/9720PB.....	72 7/8	1850	1/2	13	Yellow
2/9451PB.....	45 7/8	1164	1/2	13	Yellow	2/9730PB.....	74	1879	1/2	13	Yellow
2/9463PB.....	47	1195	1/2	13	Yellow	2/TR22517PB.....	52 1/2	1330	11/16	17	Green
2/9470PB.....	47 7/8	1217	1/2	13	Yellow	2/TR22553PB.....	56 1/4	1430	11/16	17	Green
2/9476PB.....	48 3/8	1230	1/2	13	Yellow	2/TR22570PB.....	58	1472	11/16	17	Green
2/9485FPB.....	49 5/8	1259	1/2	13	Pink	2/TR28400PB.....	41	1041	7/8	22	Red
2/9490PB.....	50	1270	1/2	13	Yellow	2/TR28411PB.....	41 3/4	1061	7/8	22	Red
2/9500PB.....	50 3/4	1290	1/2	13	Yellow	2/TR28429PB.....	44 1/8	1120	7/8	22	Red
2/9510PB.....	52	1321	1/2	13	Yellow	2/TR28437PB.....	44 1/4	1125	7/8	22	Red
2/9520PB.....	53	1346	1/2	13	Yellow	2/TR28466PB.....	47 1/8	1198	7/8	22	Red
2/9530PB.....	54	1373	1/2	13	Yellow	2/TR28473PB.....	48 1/4	1226	7/8	22	Red
2/9540PB.....	54 3/4	1390	1/2	13	Yellow	2/TR28480PB.....	49	1244	7/8	22	Red
2/9545PB.....	55 3/8	1405	1/2	13	Yellow	2/TR28483PB.....	49 1/8	1248	7/8	22	Red
2/9550PB.....	56	1424	1/2	13	Yellow	2/TR28492PB.....	50 3/8	1279	7/8	22	Red
2/9555PB.....	56 1/2	1435	1/2	13	Yellow	2/TR28501PB.....	51 1/8	1299	7/8	22	Red
2/9570PB.....	58	1474	1/2	13	Yellow	2/TR28510PB.....	51 5/8	1310	7/8	22	Red
2/9590PB.....	59 7/8	1521	1/2	13	Yellow	3/9470PB.....	47 7/8	1217	1/2	13	
2/9600PB.....	60 5/8	1540	1/2	13	Yellow	3/9500PB.....	50 5/8	1286	1/2	13	
2/9610PB.....	61 7/8	1571	1/2	13	Yellow	3/9525PB.....	53 1/4	1354	1/2	13	
2/9640PB.....	64 3/8	1635	1/2	13	Yellow	3/9530PB.....	54	1372	1/2	13	
2/9650PB.....	65 7/8	1673	1/2	13	Yellow						


Green Stripe® Truck and Bus Powerband®

Belts Listed by Width and Length

Showing Nominal Belt Top Widths per Strand, Outside Lengths and Angles with Our Corresponding Belt Numbers

IMPORTANT: Lengths shown (O.C. is Outside Circumference) are obtained by measuring around the outside of the belt. These lengths will not agree exactly with the size significant belt numbering system which is based on the effective length of the belt. Effective length ("engineered" length) cannot be measured in the field because special tools are required.

Automotive Top Widths are the standard sizes defined by the automotive belt industry (SAE J636). Due to manufacturing processes that create "Vertical Flats", the top width of XL and Truck/Bus series V-Belts will not agree with the printed top width dimensions. Top width on this page and on the belt sleeve refers to the pulley groove width and not the actual top width of these belts. A picture of a V-Belt with "Vertical Flats" is shown below. Actual top width of like belt sizes will also vary slightly depending on the manufacturer and belt style.



Length (in)	Length (mm)	Template Color	Belt No.	Length (in)	Length (mm)	Template Color	Belt No.	Length (in)	Length (mm)	Template Color	Belt No.
1/2" (13mm) Top Width				1/2" (13mm) Top Width (HC50)				11/16" (17mm) Top Width			
31 1/2	799	Yellow.....	2/9305PB	- Continued				52 1/2	1330	Green.....	2/TR22517PB
32 1/8	817	Yellow.....	2/9313PB	54	1372	3/9530PB	56 1/4	1430	Green.....	2/TR22553PB
33 1/2	852	Yellow.....	2/9325PB	54 3/4	1390	Yellow.....	2/9540PB	58	1472	Green.....	2/TR22570PB
43 7/8	1116	Yellow.....	2/9430PB	55 3/8	1405	Yellow.....	2/9545PB	7/8" (22mm) Top Width			
44 3/8	1128	Yellow.....	2/9435PB	56	1424	Yellow.....	2/9550PB	41	1041	Red.....	2/TR28400PB
45 3/8	1154	Yellow.....	2/9447PB	56 1/2	1435	Yellow.....	2/9555PB	41 3/4	1061	Red.....	2/TR28411PB
45 7/8	1164	Yellow.....	2/9451PB	58	1474	Yellow.....	2/9570PB	44 1/8	1120	Red.....	2/TR28429PB
47	1195	Yellow.....	2/9463PB	59 7/8	1521	Yellow.....	2/9590PB	44 1/4	1125	Red.....	2/TR28437PB
47 7/8	1217	Yellow.....	2/9470PB	60 5/8	1540	Yellow.....	2/9600PB	47 1/8	1198	Red.....	2/TR28466PB
47 7/8	1217	3/9470PB	61 7/8	1571	Yellow.....	2/9610PB	48 1/4	1226	Red.....	2/TR28473PB
48 3/8	1230	Yellow.....	2/9476PB	64 3/8	1635	Yellow.....	2/9640PB	49	1244	Red.....	2/TR28480PB
49 5/8	1259	Pink.....	2/9485FPB	65 7/8	1673	Yellow.....	2/9650PB	49 1/8	1248	Red.....	2/TR28483PB
50	1270	Yellow.....	2/9490PB	66 7/8	1698	Yellow.....	2/9660PB	50 3/8	1279	Red.....	2/TR28492PB
50 5/8	1286	3/9500PB	67 3/8	1710	Yellow.....	2/9670PB	51 1/8	1299	Red.....	2/TR28501PB
50 3/4	1290	Yellow.....	2/9500PB	70	1778	Yellow.....	2/9690PB	51 5/8	1310	Red.....	2/TR28510PB
52	1321	Yellow.....	2/9510PB	70 7/8	1800	Yellow.....	2/9700PB				
53	1346	Yellow.....	2/9520PB	71 7/8	1825	Yellow.....	2/9710PB				
53 1/4	1354	3/9525PB	72 7/8	1850	Yellow.....	2/9720PB				
54	1373	Yellow.....	2/9530PB	74	1879	Yellow.....	2/9730PB				